

H35-211^{Q&As}

HCIP-Access V2.5

Pass Huawei H35-211 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/h35-211.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

(single) Packet voice processing board PVM, manage and control the narrowband user board in the UA5000 chassis. Which of the following describes the error?

- A. Implement V5 protocol and H.248/MGCP protocol processing
- B. Support TMD voice signals to go to the switch through the V5 interface
- C. Support for packaging TDM voice into IP packets and uplink to softswitch devices
- D. Support for packaging TDM voice into ATM cell uplink to softswitch device

Correct Answer: D

QUESTION 2

(single) Is the following description correct?

In the PPP protocol, after the PPP verification succeeds, the Authenticate phase will be transferred to the Network phase.

- A. True
- B. False

Correct Answer: A

QUESTION 3

(multiple) Which of the following descriptions are correct when performing an optical interface average transmit optical power test?

- A. The optical connectors on the fiber connector and the optical interface board are clean and well connected.
- B. Optical power meter is calibrated
- C. Connect one end of the test tail of the optical power meter to the "Rx" port of the optical interface board and connect the other end of the pigtail to the optical power meter.
- D. Repeat several times to check whether the measured maximum value and minimum value of the transmitted optical power meet the technical requirements.

Correct Answer: ABD

QUESTION 4

(single) Is the following description correct?

The MA5600T/MA5680T can perform ONT PPPoE simulation test operations when the ONT is offline.

- A. True
- B. False

Correct Answer: B

QUESTION 5

(multiple) What are the factors that may affect VLAN partitioning and planning when designing FTTx services?

- A. Customer type
- B. Number of services and types of business for ordinary users
- C. Number of OLT access users
- D. Available VLAN resources

Correct Answer: ABCD

[Latest H35-211 Dumps](#)

[H35-211 VCE Dumps](#)

[H35-211 Braindumps](#)