

# HAAD-RN<sup>Q&As</sup>

HAAD Licensure Examination for Registered Nurses

**Pass HAAD HAAD-RN Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/haad-rn.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HAAD  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following interventions is most significant in the prevention of pressure sores?

- A. Increasing fluid intake
- B. Changing soiled linen
- C. Regular changing of position
- D. Use of a water mattress

Correct Answer: C

---

**QUESTION 2**

Which of the following tasks requires specialized education and should be performed by the nurse only after the training has been completed?

- A. Administering a dose of promethazine (Phenergan) via intravenous push (IVP)
- B. Applying a transdermal fentanyl (Duragesic)
- C. Instilling tobramycin (Tobrex) ophthalmic solution
- D. Beginning an intravenous infusion of cyclophosphamide (Cytosan)

Correct Answer: D

---

**QUESTION 3**

The nurse teaches a patient recovering from a total hip replacement that it is important to avoid:

- A. Putting a pillow between the legs while sleeping
- B. Sitting with the legs crossed
- C. Abduction exercises of the affected leg
- D. Bearing weight exercises on the affected leg for 6 weeks

Correct Answer: B

---

**QUESTION 4**

When checking the capillary refill time of a patient's extremity, the color returns in 7 seconds. The nurse recognizes this finding as indicative of:

- A. A normal response

- B. Thrombus formation in the veins
- C. Lymphatic obstruction of venous return
- D. Impaired arterial flow to the extremities

Correct Answer: D

---

**QUESTION 5**

Thirty minutes after starting a blood transfusion a patient develops tachycardia and tachypnea and complains of chills and low back pain. The nurse recognizes these symptoms as characteristic of:

- A. Circulatory overload
- B. Mild allergy
- C. Febrile response
- D. Hemolytic reaction

Correct Answer: D

[Latest HAAD-RN Dumps](#)

[HAAD-RN VCE Dumps](#)

[HAAD-RN Study Guide](#)