

HAAD-RN^{Q&As}

HAAD Licensure Examination for Registered Nurses

Pass HAAD HAAD-RN Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/haad-rn.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HAAD
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

During balloon inflation of an indwelling urinary catheter, the patient complains of pain and discomfort. The nurse should:

- A. Continue the procedure and assure the patient
- B. Aspirate the fluid and remove the catheter
- C. Withdraw the fluid and reinsert the catheter
- D. Decrease the amount of injected fluid and secure

Correct Answer: C

QUESTION 2

A nursing measure that is helpful in communicating with a hearing impaired patient is to:

- A. Use simple sentences
- B. Talk while close to patient's ear
- C. Raise the voice
- D. Write out all questions and responses

Correct Answer: A

QUESTION 3

A patient with deep partial-thickness and full-thickness burns of the face and chest is admitted to the emergency department. The nurse must be particularly alert for:

- A. Paralytic ileus
- B. Respiratory distress
- C. Severity of pain
- D. Strong burn odor

Correct Answer: B

QUESTION 4

An 11 year old girl with a history of asthma arrives at the primary health clinic with signs/symptoms of shortness of breath, audible wheezing, nasal flaring and mild lip cyanosis. Your immediate nursing action is to:

- A. Assess respiratory distress and peak expiratory flow rate
- B. Take a blood sample to assess CO levels
- C. Instruct the parents to take the child immediately to hospital
- D. Sit the child comfortably and offer 2 puffs of ventolin stat

Correct Answer: A

QUESTION 5

A patient with duodenal peptic ulcer would describe his pain as:

- A. Generalized burning sensation
- B. Intermittent colicky pain
- C. Gnawing sensation relieved by food
- D. Colicky pain intensified by food

Correct Answer: C

[Latest HAAD-RN Dumps](#)

[HAAD-RN Practice Test](#)

[HAAD-RN Braindumps](#)