

# HADOOP-PR000007<sup>Q&As</sup>

Hortonworks Certified Apache Hadoop 2.0 Developer (Pig and Hive Developer)

## Pass Hortonworks HADOOP-PR000007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hadoop-pr000007.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hortonworks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Assuming the following Hive query executes successfully:

```
from inputdata select context_ngrams(sentences(lines),  
array("you", "are", null), 80);
```

Which one of the following statements describes the result set?

- A. A bigram of the top 80 sentences that contain the substring "you are" in the lines column of the input data A1 table.
- B. An 80-value ngram of sentences that contain the words "you" or "are" in the lines column of the inputdata table.
- C. A trigram of the top 80 sentences that contain "you are" followed by a null space in the lines column of the inputdata table.
- D. A frequency distribution of the top 80 words that follow the subsequence "you are" in the lines column of the inputdata table.

Correct Answer: D

---

### QUESTION 2

Which one of the following statements regarding the components of YARN is FALSE?

- A. A Container executes a specific task as assigned by the ApplicationMaster
- B. The ResourceManager is responsible for scheduling and allocating resources
- C. A client application submits a YARW job to the ResourceManager
- D. The ResourceManager monitors and restarts any failed Containers

Correct Answer: D

---

### QUESTION 3

Which one of the following Hive commands uses an HCatalog table named x?

- A. SELECT \* FROM x;
- B. SELECT x.-FROM org.apache.hcatalog.hive.HCatLoader(\\x\\);
- C. SELECT \* FROM org.apache.hcatalog.hive.HCatLoader(\\x\\);
- D. Hive commands cannot reference an HCatalog table

Correct Answer: C

---

**QUESTION 4**

Which two of the following are true about this trivial Pig program (choose Two)

```
$ pig
grunt> ABC = LOAD 'myfile';
grunt> DUMP ABC;
```

- A. The contents of myfile appear on stdout
- B. Pig assumes the contents of myfile are comma delimited
- C. ABC has a schema associated with it
- D. myfile is read from the user's home directory in HDFS

Correct Answer: AD

---

**QUESTION 5**

Which two of the following statements are true about Pig's approach toward data? Choose 2 answers

- A. Accepts only data that has a key/value pair structure
- B. Accepts data whether it has metadata or not
- C. Accepts only data that is defined by metadata tables stored in a database
- D. Accepts tab-delimited text data only
- E. Accepts any data: structured or unstructured

Correct Answer: BE

[HADOOP-PR000007 PDF Dumps](#)

[HADOOP-PR000007 Study Guide](#)

[HADOOP-PR000007 Exam Questions](#)