

HCE-3210^{Q&As}

Hitachi Vantara Certified Specialist - NAS Solutions Architect

Pass Hitachi HCE-3210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hce-3210.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You are designing a solution to replace a customer's existing NetApp FAS3140. The customer uses Snapshot and SnapMirror to provide local snapshots and DR protection. They perform a daily snapshot which is retained for 30 days and they execute SnapMirror on a 15 minute interval. In the event of a failover to the DR site, all the locally executed snapshots are available for use on the DR system. How should you configure snapshot rules with replication to provide equivalent capabilities?

- A. on the source system that is by the object replication policy
- B. on the source and target systems using two different object replication policies, one of which both snapshot rules
- C. on the target system only by the object replication policy
- D. on the source and target systems using a single object replication policy

Correct Answer: B

QUESTION 2

An enterprise customer has a diverse Active Directory environment consisting of multiple untrusted departmental Windows domains.

Which EVS security configuration will achieve this business requirement?

- A. Use the global EVS security context for all EVS.
- B. Use an independent EVS security context for each EVS.
- C. Use IPsec for all EVS to create secure client connections.
- D. Use SSL certificates to encrypt client communications.

Correct Answer: B

QUESTION 3

Your customer wants to issue administrative commands to a Hitachi NAS Platform 4000 over their data network using scripting.

What must you do?

- A. Change the firewall setting in SMU to allow access to the admin EVS.
- B. Assign an IP address to the admin EVS on the data network aggregate.

- C. Run the scripted commands against any existing file services EVS.
- D. Add an additional IP address to the file services EVS used by the clients.

Correct Answer: B

QUESTION 4

A customer is considering deploying a Hitachi NAS Platform as their primary NAS solution provider. They have the following requirements: -100000 NFS Spec2008 OPS -45 TB storage capacity -8000 concurrent users -Redundancy Which minimum Hitachi NAS Platform configuration would meet these requirements?

- A. A2-node 3080 cluster
- B. A2-node 3090 cluster
- C. A3-node 3090 cluster
- D. A4-node 3080 cluster

Correct Answer: B

QUESTION 5

Which three statements describe the Hitachi NAS Platform file system auditing capabilities? (Choose three.)

- A. CIFS clients can be audited.
- B. Auditing is enabled on a per file system basis.
- C. NFSv3 clients can be audited.
- D. Auditing events can be sent via email.
- E. NFS clients can be denied access to a file system when auditing is enabled

Correct Answer: ABE
