

HCE-3700^{Q&As}

Hitachi Vantara Certified Expert - Performance architect

Pass Hitachi HCE-3700 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hce-3700.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A customer has several Oracle databases with different workload profiles residing on old HUS systems. The customer wants to consolidate workloads on a new VSP G800 system to increase database performance and to reduce costs.

Which configuration would you use to accomplish this task?

- A. Put all of the databases in a single HDT pool.
- B. Put each database in its own HDT pool.
- C. Put databases with the same workload profile together in their own HDT pool.
- D. Put all database tablespaces and indexes in the first HDT pool, all redo logs in the second HDT pool, and all undo logs in a third HDT pool.

Correct Answer: A

QUESTION 2

A customer wants to add a new flash-based tier to an existing HDT pool. You refer to the Tier properties chart to determine if the workload in a disk-based HDT pool is a good candidate for adding a new and higher flash tier.

In this scenario, what does the chart tell you?

- A. The utilization line starts at a low level and gradually climbs to a high spike at the extreme right-hand side.
- B. The utilization line starts at a medium level on the left side and fails away slowly.
- C. The utilization line stays at a high level until half way across the chart then drops sharply.
- D. The utilization line starts at a high level on the left side then drops away sharply.

Correct Answer: A

QUESTION 3

Which two UNIX commands provide metrics about disk device I/O activity? (Choose two.)

- A. perfmon
- B. iogen
- C. iostat
- D. sar

Correct Answer: CD

QUESTION 4

You are planning for a performance upgrade for a transaction application.

Which three metrics are necessary to determine the required back-end storage configuration in this scenario? (Choose three.)

- A. cache read hit ratio
- B. read/write ratio
- C. transfer rates
- D. queue depth
- E. IOPS

Correct Answer: ABE

QUESTION 5

For a VSP G1000 system serving a mission critical interactive workload, which two statements are true about VSD failover? (Choose two.)

- A. The VSD receiving the workload of a failed VSD is not pre-determined.
- B. Providing reserved capacity to accommodate failure is a requirement when planning for capacity for normal operations.
- C. The workload of a failed VSD board always transfers to its redundant partner VSD board.
- D. The workload of a failed VSD board is dynamically redistributed among surviving VSD boards.

Correct Answer: BC

[Latest HCE-3700 Dumps](#)

[HCE-3700 PDF Dumps](#)

[HCE-3700 Study Guide](#)