

HP2-T29^{Q&As}

Delta - Building HP Server Solutions

Pass HP HP2-T29 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hp2-t29.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which component can be used to determine the RAID configuration for direct attached disks?

- A. UEFI
- B. Smart Storage Administrator (SSA)
- C. Online Diagnostics Utility
- D. Centralized Management Console (CMC)

Correct Answer: C

QUESTION 2

What is M.2?

- A. An industry standard computer bus interface that supports both Serial ATA(SATA) and PCI Express (PCIe) storage devices
- B. A specification for internally mounted computer expansion cards and associated connectors.
- C. 2 replaces mSATA standards
- D. A nonvolatile memory card format used in portable devices. M.2 replaces the MMC standard
- E. An industry standard developed in the mid-1990s that defines bus components used for communication between computers and electronic devices

Correct Answer: C

Explanation:

For White Paper, PDF file:
M.2, formerly known as the **Next Generation Form Factor (NGFF)**, is a specification for internally mounted computer expansion cards and associated connectors. It replaces the mSATA standard, which uses the PCI Express Mini Card physical layout. M.2's more flexible physical specification that allows different module widths and lengths, together with more advanced features, makes the M.2 more suitable for solid-state storage applications in general, especially when used in small devices like ultrabooks or tablets.^[1]

QUESTION 3

Which HP memory technology validates that the DIMM has passed rigorous HP qualification and test procedures?

- A. Lockstep Memory
- B. Online Spare Memory
- C. Smart Memory
- D. Mirrored Memory

Correct Answer: C

Explanation: Explanation/reference:

Introduced in ProLiant Gen8 servers and enhanced in ProLiant Gen9 servers, HP SmartMemory technology unlocks features available only with HP qualified memory. Unlike third-party memory, SmartMemory has a unique signature on each DIMM that authenticates whether the memory has passed the rigorous HP qualification and test process. [Table 1-3](#) compares SmartMemory features with the competition. SmartMemory is capable of enhanced support through HP Active Health System.

QUESTION 4

In which device bay can a D2220sb storage blade be installed when partnered with and placed in the same zone as a half-height blade server?

- A. in a device bay directly below the partner blade
- B. in a device bay directly above the partner blade
- C. in the same device bay as the partner blade
- D. in a device bay adjacent to the partner blade

Correct Answer: D

QUESTION 5

Which interface are implemented in HP OneView to allow simple integration into an existing Enterprise Management environment?(Select two)

- A. NET framework
- B. SOAP API
- C. Scripting Change MessageBus
- D. RESTful API

Correct Answer: CD

Explanation: Explanation/reference:

OneView is designed with an open API and an SCMB to enable easy **integration** into the full capabilities of the management architecture. **The SCMB is an interface that allows custom scripts/integrations to be notified of changes to managed resources (both logical and physical resources) via asynchronous messaging.** For example, integration scripts could be notified whenever new server hardware has been added to the managed environment or when the health status of physical resources has changed—without having to continuously poll for status via the **REST APIs**. All communication between external data consumers and internal components is conducted through the **RESTful interface**.

[HP2-T29 Practice Test](#)

[HP2-T29 Exam Questions](#)

[HP2-T29 Braindumps](#)