

HPE0-J77^{Q&As}

Designing HPE Backup Solutions

Pass HP HPE0-J77 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe0-j77.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which resource should be used to validate support of an HPE MSL 6480 tape library for a specific backup application?

- A. HPE MSL6480 QuickSpecs
- B. HPE Storage Sizing tool +
- C. HPE StoreEver Tape Library Drive Upgrade Matrix
- D. HPE Data Agile BURA Compatibility Matrix

Correct Answer: D

QUESTION 2

Refer to Exhibit:

Max 3PAR StorServ Storage arrays	16	8	4	2
Max 3PAR Vols	64k	32k	16k	8k
Max StoreOnce Backup systems	16	8	4	2
Max StoreOnce Catalyst Stores	192	96	48	24
No of Snapshots per minute without backup	160	160	160	96
No of Snapshots per minute with backup	80	80	80	48
Max Recovery Sets Backed Up In Parallel	32	16	8	4
Max Volumes Per Recovery Set	8	8	8	8
Max Volume Size	16 TB	16 TB	16 TB	16 TB
Max Streams Per Volume	16	16	16	16
Max synthetic full speed (TB/hr)	80	40	20	10
Max restore speed (TB/hr)	5	5	4	2
Max Streams	256	128	64	32

Notes:
1. Migration does not support multi-RMC configuration. It is advised to first configure single RMC instance and migrate the data and then add other RMC instances
2. Multi RMC is not supported for 3PAR Remote Copy Solution
3. Internet Explorer is not supported for upgrading from RMC 1.0 to 1.1

You size an HPE Recovery Manager Central (RMC) solution for a customer's environment. The customer uses two HPE StoreServ systems and wants to run eight Recovery Set backups in parallel. To achieve the RTO, 4.5 TB of data must be restored per hour

What is the minimum configuration that must be planned for the RMC host?

- A. 2 vCPU / 8 GB VRAM
- B. 4vCPU/16GBvRAM
- C. 8 vCPU / 32 GB VRAM
- D. 16 vCPU/64 GB VRAM

Correct Answer: C

QUESTION 3

A new customer runs a graphic art and employing 50 people and is very concerned about the potential cost of a major disk or system failure Which SMB business priority addresses this customer's challenge?

- A. Business Growth
- B. Business Consolidation
- C. Business Continuity
- D. Business Productivity

Correct Answer: C

QUESTION 4

Arrange the levels of data availability in the correct sequence, from highest to lowest

Select and Place:

	Sequence	
High Availability	1	<input type="text"/>
Fault Tolerant	2	<input type="text"/>
Conventional	3	<input type="text"/>
Highly Reliable	4	<input type="text"/>
Fault Resilient	5	<input type="text"/>

Correct Answer:

Sequence	
1	Fault Tolerant
2	Fault Resilient
3	High Availability
4	Highly Reliable
5	Conventional

QUESTION 5

A company has a 7-building campus with a primary and a secondary data center. HPE 3PAR StoreServ is used for primary storage. These arrays are complemented by the deployment of HPE StoreOnce and HPE StoreEver. Major departments at this location are Research, Marketing, and Sales.

The Research department must comply with government regulations that require them to keep their data for 25 years. Researchers need rapid access to live data and must run the data through multiple scenarios. They also need to have copies of the data for each stage of the development cycle.

Which methodology will allow the Research department to effectively run multiple scenarios on the same data set?

- A. remote replication
- B. local replication
- C. backup
- D. archive

Correct Answer: D

[Latest HPE0-J77 Dumps](#)

[HPE0-J77 Exam Questions](#)

[HPE0-J77 Braindumps](#)