![Pass2Lead logo](https://Pass2Lead.com)
# HPE0-S60<sup>Q&As</sup>

HPE0-S60<sup>Q&As</sup>

## Delta - HPE Compute Solutions

# Pass HP HPE0-S60 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

**https://www.pass2lead.com/hpe0-s60.html**

## 100% Passing Guarantee
## 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

**QUESTION 1**

HOTSPOT

Click the area within the iLO management interface that will allow you to access workload Advisor.

Hot Area:

## iLO 5
2.44 Apr 30 2021

- Information
- System Information
- Firmware & OS Software
- iLO Federation
- Remote Console & Media
- Power & Thermal
- Performance
- iLO Dedicated Network Port
- Remote Support
- Administration
- Security
- Management
- HPE OneView
- Synergy Frame
- Lifecycle Management

### Information - iLO Overview

Overview    Security Dashboard    Session List    iLO Event Log    Integrated Management Log

Security Log    Active Health System Log    Diagnostics

### Server

| | |
|---|---|
| Product Name | Synergy 480 Gen10 |
| Server Name | h7198.wsw.edunet.hpe.com |
| Operating System | VMware ESXi 7.0.1 Build-17325551 Update 1 Patch 25 |
| System ROM | I42 v2.42 (01/23/2021) |
| System ROM Date | 01/23/2021 |
| Redundant System ROM | I42 v2.42 (01/23/2021) |
| Server Serial Number | CZ204400X0 |
| Serial Number (Logical) | VCGQH1801V |
| Product ID | 871940-B21 |
| UUID | 39313738-3034-5A43-3230-343430305830 |

### iLO

| | |
|---|---|
| IP Address | 15.194.45.41 |
| Link-Local IPv6 Address | FE80:B67A:F1FF:FE44:377A |
| iLO Hostname | ILOCZ204400X0.wsw.edunet.hpe.com |
| iLO Dedicated Network Port | Enabled |

Correct Answer:

![Pass2Lead](https://Pass2Lead.com)
**iLO 5**
2.44 Apr 30 2021

Information
System Information
Firmware & OS Software
iLO Federation
Remote Console & Media
Power & Thermal
Performance
iLO Dedicated Network Port
Remote Support
Administration
Security
Management
HPE OneView
Synergy Frame
Lifecycle Management

**Information - iLO Overview**

Overview  Security Dashboard  Session List  iLO Event Log  Integrated Management Log

Security Log  Active Health System Log  Diagnostics

**Server**

| | |
|---|---|
| Product Name | Synergy 480 Gen10 |
| Server Name | h7198.wsw.edunet.hpe.com |
| Operating System | VMware ESXi 7.0.1 Build-17325551 Update 1 Patch 25 |
| System ROM | I42 v2.42 (01/23/2021) |
| System ROM Date | 01/23/2021 |
| Redundant System ROM | I42 v2.42 (01/23/2021) |
| Server Serial Number | CZ204400X0 |
| Serial Number (Logical) | VCGQH1801V |
| Product ID | 871940-B21 |
| UUID | 39313738-3034-5A43-3230-343430305830 |

**iLO**

| | |
|---|---|
| IP Address | 15.194.45.41 |
| Link-Local IPv6 Address | FE80::B67A:F1FF:FE44:377A |
| iLO Hostname | ILOCZ204400X0.wsw.edunet.hpe.com |
| iLO Dedicated Network Port | Enabled |

**QUESTION 2**

DRAG DROP

Match HPE Superdome Flex system with its specific feature.

Select and Place:

HPE Superdome Flex

HPE Superdome Flex 280

Answer Area

| System | Feature |
|---|---|
| | Support for 32 sockets and 48TB of memory |
| | Support for nPar with 16 sockets |
| | Maximum of 24TB memory |
| | Minimum of 768 GB of memory |

![Pass2Lead](https://Pass2Lead.com)
Correct Answer:

| System | Feature |
|--------|---------|
| HPE Superdome Flex | Support for 32 sockets and 48TB of memory |
| HPE Superdome Flex | Support for nPar with 16 sockets |
| HPE Superdome Flex | Maximum of 24TB memory |
| HPE Superdome Flex | Minimum of 768 GB of memory |

Available items:
- HPE Superdome Flex
- HPE Superdome Flex 280

**QUESTION 3**

DRAG DROP

Match HPE SimpliVity team with the definition.

Select and Place:

| Term | Definition |
|------|-----------|
| Arbiter | Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes. |
| Compute node | Provides centralized management and events end-point for vCenter. |
| Intelligent Workload Optimizer | Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources. |
| Management Virtual Controller | Facilitates communication between nodes and resolves state conflicts to ensure service continuity. |

Correct Answer:

| Term | | Definition |
| --- | --- | --- |
| | Arbiter | Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes. |
| | Compute node | Provides centralized management and events end-point for vCenter. |
| | Management Virtual Controller | Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources. |
| | Intelligent Workload Optimizer | Facilitates communication between nodes and resolves state conflicts to ensure service continuity. |

**QUESTION 4**

HOTSPOT

After deploying HPE Superdome Flex 280 you need to check Core Analysis Engine (CAE) Log.

Click the appropriate section in the HPE Superdome Flex 280 management interface that will allow you to complete this task.

Hot Area:

![Pass2Lead logo](https://Pass2Lead.com)
Correct Answer:

![Pass2Lead](https://Pass2Lead.com)
**QUESTION 5**

DRAG DROP

You need to setup HPE Synergy frames after hardware components are discovered within HPE OneView.

Put the steps to achieve this goal into the coned order in the answer area on the right.

Select and Place:



Correct Answer:

![Pass2Lead logo](https://Pass2Lead.com)
Steps

Answer Area

| Create a logical interconnect group with uplink sets. |
| Create a logical enclosure. |
| Create an enclosure group. |
| Create server profile templates and server profiles |
| Define all required networks. |

[HPE0-S60 PDF Dumps](https://www.pass2lead.com)     [HPE0-S60 Practice Test](https://www.pass2lead.com)     [HPE0-S60 Exam Questions](https://www.pass2lead.com)