

HPE2-T37^{Q&As}

Using HPE OneView

Pass HP HPE2-T37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe2-t37.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which HPE components can be managed using HPE Composer? (Select two.)

- A. HPE Superdome Flex 280
- B. HPE Synergy Virtual Connect SE 32Gb FC Module
- C. HPE Synergy 480 Compute Modules
- D. HPE B-series SN6600B Fibre Channel Switch
- E. HPE MSA 2062 Storage Array

Correct Answer: BD

QUESTION 2

After replacing a failed Compute Module, you notice the server profile is not automatically assigned to the replaced server hardware. What can cause this issue?

- A. iLO firmware of the replacement server is different than firmware in broken server.
- B. Server profile affinity is configured to Device Day + server hardware.
- C. The enclosure group has to be updated to match the original enclosure group.
- D. The replacement server has more memory or CPUs than broken machine.

Correct Answer: A

QUESTION 3

You want to put two FlexNICs into a single Link Aggregation Group within a server profile. What is a prerequisite for this setup?

- A. The sFlow option must be enabled and configured.
- B. Both FlexNICs must be connected to the same network.
- C. The Compute Module profile must have exactly two connections defined.
- D. An upgrade license must be purchased and deployed.

Correct Answer: B

QUESTION 4

DRAG DROP

For HPE Primera, match each task with the management tool that can be used to perform it.

Select and Place:

	Answer Area	
	Tool	Task
HPE OneView		Replication configuration
HPE StoreServ Management Console		Volume to host presentation
		Automated zoning with SAN Manager
		Adding new storage pool

Correct Answer:

	Answer Area	
	Tool	Task
HPE OneView	HPE OneView	Replication configuration
HPE StoreServ Management Console	HPE StoreServ Management Console	Volume to host presentation
	HPE StoreServ Management Console	Automated zoning with SAN Manager
	HPE OneView	Adding new storage pool

Reference: <https://www.acpcreativit.com/wp-content/uploads/2021/04/Data-migration-from-HPE-3PAR-to-HPE-Primera-a00110464enw.pdf>

QUESTION 5

You are creating a Logical Interconnect Group for a three-frame HPE Synergy solution with HPE Virtual Connect SE100Gb F32 Modules for Synergy.

In which scenario should you set redundancy for master modules to be highly available?

- A. When storm control or loop protection will be enabled for Virtual Connect modules
- B. When each of the frames has two Virtual Connect modules installed
- C. When each Virtual Connect module is installed in different frame

D. When each Virtual Connect module is installed in different fabric

Correct Answer: A

[Latest HPE2-T37 Dumps](#)

[HPE2-T37 PDF Dumps](#)

[HPE2-T37 Exam Questions](#)