

HPE3-U01^{Q&As}

Aruba Certified Network Technician Exam

Pass HP HPE3-U01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/hpe3-u01.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

The PCs are not able to successfully establish bidirectional communication. What change must you deploy to enable the communication between PC-1 and PC-2?

- A. change PC-1 \\'s default gateway to 172.16.30.2
- B. change PC-1\\'s IP address to 172.16.30.10
- C. change the Router\\'s 1/1/1 interface IP to 172.16.30.254
- D. change PC-2\\'s default gateway to 172.16.31.254

Correct Answer: C

QUESTION 2

What is the decimal equivalent of the binary number 10001010?

A. 138

- B. 198
- C. 108
- D. 89

Correct Answer: A

QUESTION 3

Whichcondition allows 5Ghz channels to avoid Adjacent Channel Interference?

- A. transmit at 40 MHz bandwidth
- B. transmit at high power levels
- C. transmit at low power levels
- D. transmit at 20 MHz bandwidth

Correct Answer: A

QUESTION 4

Which table must clients populate to remember the L2 addressing of their neighbors?



- A. MAC Table
- B. ARP Table
- C. Routing Table
- D. Ethernet Table
- Correct Answer: A

QUESTION 5

What are the differences between Local-based and Server-based management? (Select two.)
A. server-based management cannot talk to the device\\'s control plane, local-based can
B. in local-based, the managed device is a client, while in server-based it is a server
C. local-based management can use the device\\'s console port, server-based cannot
D. local-based management requires an on-premises network management appliance
E. server-based management can monitor multiple devices at once, local-based cannot

Correct Answer: BC

HPE3-U01 PDF Dumps

HPE3-U01 VCE Dumps

HPE3-U01 Practice Test