

# HPE6-A07<sup>Q&As</sup>

Aruba Certified ClearPass Associate 6.5

## Pass HP HPE6-A07 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe6-a07.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which type of ClearPass service is used to process health checks from the OnGuard agent?

- A. WebAuth
- B. RADIUS
- C. TACACS
- D. HTTP
- E. AppAuth

Correct Answer: A

Reference <https://community.arubanetworks.com/aruba/attachments/aruba/aaa-nac-guest-accessbyod/21122/1/OnGuard%20config%20Tech%20Note%20v1.pdf>

---

**QUESTION 2**

In which stage of the Onboard process is the enterprise's root certificate installed on the iOS device?

- A. During EAP authentication
- B. Provisioning
- C. Authentication
- D. Pre-provisioning
- E. Authorization

Correct Answer: D

Reference <https://www.slideshare.net/ArubaNetworks/onboard-deployment-guide-396> (slide 15)

---

**QUESTION 3**

Where are guest user's stored?

- A. Active Directory
- B. Local User Repository
- C. Local user database
- D. Guest User Repository
- E. Onboard Repository

Correct Answer: D

---

**QUESTION 4**

What is the purpose of using a role mapping policy in an 802.1x service with Active Directory as the authentication source?

- A. to translate and combine AD attributes into ClearPass roles
- B. to send roles from ClearPass to the AD user to update a user's group membership
- C. to enable attributes as roles directly without needing role mapping rules
- D. to send Aruba firewall roles back to the Aruba Network Access Device
- E. to send details of a user's connection to the AD user to store in its database

Correct Answer: B

---

**QUESTION 5**

When Active Directory is added as an authentication source, what should the format be for the Active Directory bin DN?

- A. admin.domain.com
- B. domain.com\admin
- C. domain.com
- D. admin@domain.com
- E. admin\domain.com

Correct Answer: D

For Active Directory, the bind DN can also be in the administrator@domain format (for example, administrator@acme.com).

Reference [http://www.arubanetworks.com/techdocs/ClearPass/Aruba\\_CPPMOnlineHelp/Content/CPPM\\_UserGuide/Auth/AuthSource\\_GenericLDAP.htm](http://www.arubanetworks.com/techdocs/ClearPass/Aruba_CPPMOnlineHelp/Content/CPPM_UserGuide/Auth/AuthSource_GenericLDAP.htm)

[Latest HPE6-A07 Dumps](#)

[HPE6-A07 Practice Test](#)

[HPE6-A07 Braindumps](#)