

# HPE6-A15<sup>Q&As</sup>

Aruba Certified Clearpass Professional 6.5

## Pass HP HPE6-A15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe6-a15.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.

Administration » Dictionaries » RADIUS

### RADIUS Dictionaries

**RADIUS Attributes**

Vendor Name: Aruba (14823)

#	Attribute Name	ID	Type	In/Out
1.	Aruba-User-Role	1	String	in out
2.	Aruba-User-Vlan	2	Unsigned32	in out
3.	Aruba-Priv-Admin-User	3	Unsigned32	in out
4.	Aruba-Admin-Role	4	String	in out
5.	Aruba-Essid-Name	5	String	in out
6.	Aruba-Location-Id	6	String	in out
7.	Aruba-Port-Id	7	String	in out
8.	Aruba-Template-User	8	String	in out
9.	Aruba-Named-Vlan	9	String	in out
10.	Aruba-AP-Group	10	String	in out

Buttons: Disable, Export, Close


In the Aruba RADIUS dictionary shown, what is the purpose of the RADIUS attributes?

- A. to gather and send Aruba NAD information to ClearPass
- B. to gather information about Aruba NADs for ClearPass
- C. to send information via RADIUS packets to Aruba NADs
- D. to send information via RADIUS packets to clients
- E. to send CoA packets from ClearPass to the Aruba NAD

Correct Answer: C

**QUESTION 2**

Refer to the exhibit.



Based on the information shown, what will be the outcome when the administrator chooses "Deny Access to this Device"? (Select two.)

- A. EAP-TLS Authentication will be unaffected
- B. The user can Onboard their device again
- C. A new device certificate will be automatically pushed out to the device
- D. The user cannot Onboard their device again
- E. EAP-TLS Authentication will fail

Correct Answer: DE

The Device Management (View by Device) page lists all devices and lets you manage the devices' access to the network. For each device, you can allow or deny network access.

When you select the Deny option, a message advises you that any certificates associated with it will be revoked. The device cannot be re-enrolled as long as access is denied. To re-enroll the device, you must use this field to allow access again. References:

<http://www.arubanetworks.com/techdocs/ClearPass/6.6/Guest/Content/Onboard/DeviceManagement.htm>

### QUESTION 3

What must be configured to enable RADIUS authentication with ClearPass on a network access device (NAD)? (Select two.)

- A. the ClearPass server must have the network device added as a valid NAD
- B. the ClearPass server certificate must be installed on the NAD

- C. a matching shared secret must be configured on both the ClearPass server and NAD
- D. an NTP server needs to be set up on the NAD
- E. a bind username and bind password must be provided

Correct Answer: AC

---

#### QUESTION 4

An employee authenticates using a corporate laptop and runs the persistent Onguard agent to send a health check back the Policy Manager. Based on the health of the device, a VLAN is assigned to the corporate laptop. Which licenses are consumed in this scenario?

- A. 1 Policy Manager license, 1 Onboard License
- B. 2 Policy Manager licenses, 1 Onguard License
- C. 1 Policy Manager license, 1 Profile License
- D. 2 Policy Manager licenses, 2 Onguard licenses
- E. 1 Policy Manager license, 1 Onguard License

Correct Answer: E

---

#### QUESTION 5

Which types of files are stored in the Local Shared Folders database in ClearPass? (Select two.)

- A. Software image
- B. Backup files
- C. Log files
- D. Device fingerprint dictionaries
- E. Posture dictionaries

Correct Answer: BC

---

[HPE6-A15 Practice Test](#)

[HPE6-A15 Study Guide](#)

[HPE6-A15 Braindumps](#)