Pass2Lead
https://Pass2Lead.com

HPE6-A29^{Q&As}

Aruba Certified Mobility Professional 6.4

Pass HP HPE6-A29 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/hpe6-a29.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official
Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

A wired device is connected to an untrusted port on a controller. How can a role be assigned to the device?

A. An initial Role can be assigned directly to the VLAN

B. Roles are assigned to devices connected to a trusted port

C. A default Role can be directly assigned to an untrusted port

D. Adding a wired AAA profile to a VLAN on the untrusted port

E. The Role assigned to the untrusted port

Correct Answer: D

QUESTION 2

The permanent licenses on the controller will be deleted with the use of which command?

A. delete license

B. write erase

C. Licenses cannot be deleted once activated

D. write erase all

E. reboot delete all

Correct Answer: D

QUESTION 3

How can a role be assigned to a user, connected to an untrusted port, on a controller?

A. An initial Role can be assigned

B. Roles are assigned to users connected to a trusted port

C. Captive Portal default Role can be assigned

D. Adding a wired AAA profile to a VLAN on the port

E. The Role assigned to the Port

Correct Answer: ACD

QUESTION 4

An administrator purchases some new Aps for branch offices. Currently the Aps at the branch offices connect to local Aruba Mobility Controller at the corporate office across a private WAN. The network is managed with the Aruba AirWave management platform. The administrator wants to ensure that when the new Aps are plugged in and booked up the Aps can automatically discover and register with the AirWave server and obtain AP Group configuration.

Which Aruba tool should the administrator use?

A. Clearpass

B. Activate

C. Central

D. Meridan

Correct Answer: A

QUESTION 5

What additional fields must be configured in the configuration wizard if the controller role is selected as a local instead of a standalone controller?

A. The Local\\'s SNMPv3 user name and password

B. The Master IP address

C. The Local\\'s loopback address

D. The IPSec PSK for Master/Local communication

Correct Answer: BD

[HPE6-A29 Practice Test](#)   [HPE6-A29 Study Guide](#)   [HPE6-A29 Braindumps](#)