

# HPE6-A66<sup>Q&As</sup>

Aruba Certified Design Associate Exam

**Pass HP HPE6-A66 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe6-a66.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A customer is purchasing Aruba 555 APs for a new wireless network. The APs will be pre-staged as campus APs (CAPs) and be managed by a controller solution. During the pre-staging process, console access to the APs might be necessary.

Which console connection cable should the customer purchase for the 555 APs?

- A. RJ-45
- B. RS-232
- C. USB-A
- D. Micro-B USB

Correct Answer: D

---

**QUESTION 2**

A wiring closet with a POE+ switch is 250 feet (76 meters) away from an AP on a building floor. The AP's smart-rate port is connected to a smart-rate port on the switch, which is capable of 10 Gbps. The cable type is Cat5e STP.

What is the maximum speed that the customer can expect from the connected AP?

- A. 2.5 Gbps
- B. 1 Gbps
- C. 5 Gbps
- D. 10 Gbps

Correct Answer: A

---

**QUESTION 3**

A network architect has developed a design for a new Aruba Wi-Fi network that will include a virtual Mobility Master (MM) running the ArubaOS 8.4 operating system that will manage:

Correct Answer: A

---

**QUESTION 4**

A company needs to replace an existing legacy wireless and wired solution with one that supports features like 802.11ax for APs and logical switching for switches. The company is located on a single floor with two wiring closets. Assume that there will be 10 APs connected via POE+ to each wiring closet, along with 36 wired user connections. All switches on a floor should be configured in a single stack. The distance between wiring closets is 100 feet (31 meters). Which switching solution will minimally provide 10 Gbps uplinks at the most cost-effective price, while still meeting the company's requirements?

- A. 2930M switches
- B. 2930F switches
- C. 5406R switches
- D. 3810M switches

Correct Answer: A

---

**QUESTION 5**

When a WLAN has to support nomadic devices, a network architect must primarily plan for which component in their design?

- A. type of users
- B. number of users per location
- C. mobility requirements and usage
- D. density of users

Correct Answer: C

[Latest HPE6-A66 Dumps](#)

[HPE6-A66 Practice Test](#)

[HPE6-A66 Braindumps](#)