

HPE6-A71^{Q&As}

Aruba Certified Mobility Professional Exam

Pass HP HPE6-A71 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hpe6-a71.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

An administrator needs to authenticate users connected to an ArubaOS-Switch where the switch authenticates the user, assign the firewall policies to the user, and processes some of the users\' traffic. Which connection method should the administrator configure on the ArubaOS-Switch?

- A. Per-user tunneled node
- B. Per-port tunneled node
- C. VLAN tunneled mode
- D. Split-tunneled mode

Correct Answer: A

QUESTION 2

An administrator supports Aruba Mobility Controllers (MCs) managed by a Mobility Master (MM) in a noncluster deployment. The administrator performs these tasks on the MM for the MCs:

Enables L3 IP mobility for the respective VAPs on the MCs
Creates a L3 domain and places the MCs in the domain

However, roaming does not work when users roam from an AP connected to one controller in the domain to an AP connected to a different controller in the domain.

What must the administrator do to fix this problem?

- A. Configure the same VLANs on the Mobility Controllers in the L3 domain.
- B. Re-provision the APs associated with the Mobility Controllers.
- C. Enable L3 IP Mobility globally on the Mobility Controllers.
- D. Create a home-agent-to-foreign-agent mapping table.

Correct Answer: D

QUESTION 3

An administrator configures a network scan set in AirWare to scan a subnet to discover new switches. The scan completes and AirWave successfully uses the SNMP credentials to validate SNMP access. However, SSH access fails and the administrator must manually configure the SSH credentials used for all of these devices.

To prevent this problem in the future, what should the administrator complete prior to running the network scan?

- A. Define the SSH communication parameters under the Group\'s Manage section.

- B. Define a scan credentials set that includes the SSH communication parameters.
- C. Define the SSH communication parameters under the AP/Device\\'s Manage section.
- D. Define the SSH communication parameters for the Default Credentials under Device Setup section.

Correct Answer: D

QUESTION 4

A group of users on the same floor of a campus residence experience connectivity problems continuously throughout the morning. The administrator suspects that it is a L1 problem with physical interference.

What can the administrator do to find the cause of this problem?

- A. Access a controller\\'s spectrum analysis data directly from AirWave with Quick Links.
- B. Access RAPIDS data from AirWave\\'s RAPIDS section.
- C. Access RAPIDS data from AirWave\\'s dashboards, under Home.
- D. Access a controller\\'s spectrum analysis data from AirWave\\'s dashboards, under Home.

Correct Answer: A

QUESTION 5

An administrator creates new pre-and post-authentication roles for a new WLAN. For which profile should the administrator assign these new roles under the Managed Network section?

- A. Server Groups
- B. Virtual AP
- C. 802.1X
- D. AAA profile

Correct Answer: D
