

JK0-023^{Q&As}

CompTIA Network+ certification

Pass CompTIA JK0-023 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jk0-023.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following is used to ensure traffic flows efficiently on multiple T-1 circuits?

- A. DNS server
- B. Content filter
- C. Proxy server
- D. Load balancer

Correct Answer: D

QUESTION 2

Karen, a network administrator, is configuring a switch with an LACP port group for uplink. She plugs in the secondary uplink of the group and shortly thereafter receives widespread reports that the network is malfunctioning. Which of the following is MOST likely the cause?

- A. A network loop was created due to a misconfiguration of the port group.
- B. The port on the switch for the new secondary link was never enabled.
- C. The LACP group was mistakenly configured to do layer 2 + 3 + 4 hashing for its link balancing.
- D. The LACP group was only configured to do layer 2 hashing for its link balancing.

Correct Answer: A

QUESTION 3

Which of the following is used to assign an IP address to a device?

- A. DHCP
- B. NTP
- C. DNS
- D. RADIUS

Correct Answer: A

QUESTION 4

A technician is troubleshooting a problem where data packets are being corrupted. Which of the following connectivity problems should the technician check?

- A. Atenuaton
- B. Latency
- C. Crosstalk
- D. External interference

Correct Answer: C

QUESTION 5

A user reports intermittent network connectivity. Which of the following should a technician configure on the managed switch to help troubleshoot this issue?

- A. SMTP
- B. SNTP
- C. SNMP
- D. SNAT

Correct Answer: C

[Latest JK0-023 Dumps](#)

[JK0-023 Study Guide](#)

[JK0-023 Exam Questions](#)