

# JN0-103<sup>Q&As</sup>

Junos - Associate (JNCIA-Junos)

## Pass Juniper JN0-103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-103.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which account is used to access a Junos device in factory-default configuration?

- A. root
- B. admin
- C. juniper
- D. user

Correct Answer: A

---

**QUESTION 2**

Which three user authentication methods are supported by the Junos OS? (Choose three.)

- A. RADIUS
- B. CHAP
- C. local user database
- D. TACACS+
- E. PAP

Correct Answer: ACD

---

**QUESTION 3**

```
user@router# run show route
inet.0: 8 destinations, 10 routes (8 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
0.0.0.0/0      *[BGP/170] 00:00:24, localpref 100
               AS path: 65000 I, validation-state: unverified
               > to 172.18.6.1 via ge-0/0/0.0
               to 172.18.7.1 via ge-0/0/1.0
               [BGP/170] 00:00:24, localpref 100
               AS path: 65000 I, validation-state: unverified
               > to 172.18.7.1 via ge-0/0/1.0
10.210.0.0/16 *[Static/5] 1w0d 20:17:39
               > to 172.25.11.254 via fxp0.0
172.18.6.0/30  *[Direct/0] 00:00:30
               > via ge-0/0/0.0
172.18.6.2/32  *[Local/0] 00:00:30
               Local via ge-0/0/0.0
172.31.16.0/24 *[BGP/170] 00:00:24, localpref 100
               AS path: 65000 I, validation-state: unverified
               > to 172.18.7.1 via ge-0/0/1.0
               [BGP/170] 00:00:28, localpref 100
               AS path: 802 5512 3318 65000 I, validation-state: unverified
               > to 172.18.6.1 via ge-0/0/0.0
192.168.1.1/32 *[OSPF/10] 00:00:25, metric 1
               > to 192.168.11.2 via ge-0/0/4.0
192.168.80.0/28 *[BGP/170] 00:00:24, localpref 100, from 172.18.6.1
               AS path: 65000 I, validation-state: unverified
               to 172.18.6.1 via ge-0/0/0.0
               > to 172.18.7.1 via ge-0/0/1.0
               [BGP/170] 00:00:24, localpref 100
               AS path: 65000 I, validation-state: unverified
               > to 172.18.7.1 via ge-0/0/1.0
224.0.0.5/32  *[OSPF/10] 00:01:11, metric 1
               MultiRecv
```

What is the next hop for a packet destined to 192.168.80.98 as shown in the exhibit?

- A. 172.18.6.1
- B. 172.25.11.254
- C. 172.18.7.1
- D. 192.168.11.2

Correct Answer: A

#### QUESTION 4

Your firewall filters are not in the correct order, what would solve this problem?

- A. Use the next-term action to force an evaluation of the next-term
- B. Use the commit parameter to ensure that terms are evaluated correctly
- C. Use the reject action to change the action of the filter

D. Use the filter command to reorder the terms with the filter

Correct Answer: D

---

#### QUESTION 5

Which two statements are true about static routes in the Junos OS? (Choose two.)

- A. Static routes remain in the routing table until you remove them or until they become inactive.
- B. Static routes must have a next hop defined.
- C. Static routes are learned by neighboring devices and added to their routing tables.
- D. Static routes are defined at the [edit routing-instances] hierarchy.

Correct Answer: AB

[JN0-103 Practice Test](#)

[JN0-103 Study Guide](#)

[JN0-103 Exam Questions](#)