

JN0-1302^{Q&As}

Data Center Design Specialist (JNCDS-DC)

Pass Juniper JN0-1302 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-1302.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Your data center design must ensure that no access switch can become a single point of failure. Which two actions will satisfy this requirement? (Choose two.)

- A. Use an MC-LAG between two upstream distribution switches and each access switch.
- B. Use a LAG between each access switch and a VRRP interface on a distribution switch.
- C. Use a LAG between each server and two or more members of a Virtual Chassis.
- D. Use an MC-LAG between two access switches and each server.

Correct Answer: AD

QUESTION 2

Which two features add NGFW capabilities to a traditional security device? (Choose two.)

- A. IPS
- B. UTM
- C. IP filters
- D. NAT

Correct Answer: BC

QUESTION 3

You must implement Layer 4 security services between VMs that are hosted on the same server. You require a low footprint with Docker support.

In this scenario, which Juniper Networks product would you deploy?

- A. vSRX
- B. cRPD
- C. cSRX
- D. QFX

Correct Answer: C

QUESTION 4

Which protocol is used to exchange control information between the participating multichassis LAG (MCLAG) peers?

- A. BGP
- B. OSPF
- C. ICCP
- D. VCCP

Correct Answer: C

QUESTION 5

You are asked to design security policies based on team membership. Which access control methodology should you use in this scenario?

- A. non-discretionary access control
- B. role-based access control
- C. mandatory access control
- D. discretionary access control

Correct Answer: B

[Latest JN0-1302 Dumps](#)

[JN0-1302 PDF Dumps](#)

[JN0-1302 Braindumps](#)