

JN0-251^{Q&As}

Mist AI - Associate (JNCIA-MistAI)

Pass Juniper JN0-251 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-251.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which Mist location-based feature would be used for wayfinding?

- A. Wi-Fi 6
- B. Asset Visibility
- C. vBLE Engagement
- D. Wi-Fi Location

Correct Answer: D

Reference: <https://www.juniper.net/us/en/products/cloud-services/mist-wireless-location-service-datasheet.html>

QUESTION 2

Which two statements are correct about microservices? (Choose two.)

- A. A microservice can be added without system downtime.
- B. All microservices can be updated at the same time without downtime.
- C. A microservice can be updated without system downtime.
- D. Each microservice uses the same virtual hardware.

Correct Answer: AC

QUESTION 3

Which statement is correct about Marvis Actions?

- A. It summarizes user trouble tickets and detected AP problems.
- B. It automatically detects and reports network problems.
- C. It summarizes all of the misconfigured WLANs at a site.
- D. It automatically issues an RMA for an AP.

Correct Answer: B

Reference: <https://www.mist.com/documentation/what-is-marvis-actions/>

QUESTION 4

Which Mist AI feature would help you to troubleshoot a client's failed authentication?

- A. client dashboard
- B. live view
- C. dynamic packet capture
- D. WLAN profile

Correct Answer: C

QUESTION 5

You have just brought online a new site of AP43s. While verifying that everything looks good, you notice that all of the access points (APs) are reporting "insufficient power." The APs are connected to an 802.3at-capable switch. In this scenario, what would be the cause of the error?

- A. The cable run to each AP is too long.
- B. The Ethernet cable is plugged into the wrong port on the AP.
- C. The APs' firmware must be upgraded.
- D. LLDP-MED is not configured on the switch.

Correct Answer: D

[JN0-251 PDF Dumps](#)

[JN0-251 Exam Questions](#)

[JN0-251 Braindumps](#)