

JN0-334^{Q&As}

Security-Specialist (JNCIS-SEC)

Pass Juniper JN0-334 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-334.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Click the Exhibit button.



```
set groups node0 system host-name SRX-1
set groups node0 interfaces fsp0 unit 0 family inet address 10.200.0.1/24
set groups node1 system host-name SRX-2
set groups node1 interfaces fsp0 unit 0 family inet address 10.200.0.2/24
```

You are configuring an SRX chassis cluster with the node-specific hostname and management address. Referring to the exhibit, which configuration completes this requirement?

- A. `set groups node$ interfaces fxp0 unit 0 family inet address 10.200.0.254/24 ;`
- B. `set apply-groups node0`
`set apply-groups node1`
- C. `set apply-groups ${node}`
- D. `set groups node0 interfaces fxp0 unit 0 family inet address 10.200.0.254/2`
`set groups node1 interfaces fxp0 unit 0 family inet address 10.200.0.254/2`

A. B. C. D.

Correct Answer: C

QUESTION 2


Which two functions are performed by Juniper Identity Management Service (JIMS)? (Choose two.)

- A. JIMS synchronizes Active Directory authentication information between a primary and secondary JIMS server.
- B. JIMS forwards Active Directory authentication information to SRX Series client devices.
- C. JIMS collects and maintains a database of authentication information from Active Directory domains.
- D. JIMS replicates Active Directory authentication information to non-trusted Active Directory domain controllers.

Correct Answer: AC

QUESTION 3

Click the Exhibit button.



```
user@srx> show log messages | match RT_FLOW_SESSION
Jun 3 00:36:41 vSRX-1 RT_FLOW: RT_FLOW_SESSION_CREATE: session created
172.18.2.1/
57929->10.10.101.10/21 0x0 junos-ftp 172.18.2.1/57929->10.10.101.10/21 0x0 N/A
N/A N/A N/A 6 untrust-to-trust(global) untrust trust 19307 N/A(N/A) ge-0/0/3.0
UNKNOWN UNKNOWN UNKNOWN N/A N/A -1
```

The output shown in the exhibit is displayed in which format?

- A. syslog
- B. sd-syslog
- C. binary
- D. WELF

Correct Answer: A

QUESTION 4

Which statement describes the AppTrack module in AppSecure?

- A. The AppTrack module provides enforcement with the ability to block traffic, based on specific applications.
- B. The AppTrack module provides control by the routing of traffic, based on the application.
- C. The AppTrack module identifies the applications that are present in network traffic.
- D. The AppTrack module provides visibility and volumetric reporting of application usage on the network.

Correct Answer: C

QUESTION 5

Click the Exhibit button.

```
Exhibit
[edit]
user@srx# show security idp
idp-policy base-policy {
  rulebase-exempt {
    rule R1 {
      match {
        from-zone trust;
        source-address internal-devices;
        to-zone any;
        destination-address any;
        attacks {
          predefined-attacks FTP:USER:ROOT;
        }
      }
    }
  }
}
active-policy base-policy;
```

Referring to the exhibit, which statement is true?

- A. IDP blocks root users.
- B. IDP closes the connection on matched sessions.
- C. IDP ignores the connection on matched sessions.
- D. IDP blocks all users.

Correct Answer: C