

JN0-348^{Q&As}

Enterprise Routing and Switching, Specialist

Pass Juniper JN0-348 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-348.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which static route next-hop value indicates that the packet will be silently dropped?

- A. resolve
- B. discard
- C. reject
- D. next-table

Correct Answer: B

QUESTION 2

When electing a DIS in an IS-IS network, what is used to break a priority tie?

- A. highest MAC address
- B. highest router ID
- C. lowest MAC address
- D. lowest router ID

Correct Answer: A

QUESTION 3

Click the Exhibit button

```
[edit protocols rstp]
user@switch# show
bridge-priority 8k;
interface ge-0/0/10 {
    disable;
}
interface ge-0/0/13 {
    cost 20000;
    mode point-to-point;
}
```

Referring to the exhibit, which two statements are correct? (Choose two.)


- A. The ge-0/0/10 interface will not participate in the RSTP topology.
- B. The ge-0/0/13 interface will be selected as the forwarding interface.
- C. This device must be selected as the root bridge.
- D. The ge-0/0/10 interface will be part of the RSTP topology but will block incoming BPDUs.

Correct Answer: AB

QUESTION 4

Click the Exhibit button.

```
[edit protocols bgp]
user@Router-1# show
preference 150;
keep all;
mtu-discovery;
export statics;
remove-private;
local-as 5;
tcp-mss 4096;
group EXT {
    peer-as 2;
    neighbor 10.1.0.1;
}
group INT {
    type internal;
    local-address 192.168.1.11;
    local-as 1;
    neighbor 192.168.1.12;
}
```



```
[edit protocols bgp]
user@Router-1# run show bgp summary
Groups: 2 Peers: 2 Down peers: 1
Table Tot Paths Act Paths Suppressed History Damp State Pending
inet.0 5 4 0 0 0 0 0
Peer AS InPkt OutPkt OutQ Flaps Lasr Up/Dwn State | #Active/Received/Accepted/Damped
10.1.0.1 2 1 2 0 0 3:37 Active
192.168.1.12 1 14 15 0 0 4:05 4/5/4/0 0/0/0/0
```

Referring to the exhibit, Router-1 is attempting to form an EBGP session with Router-2. However, BGP routes are never exchanged between Router-1 and Router-2.

What is causing the problem?

- A. The TCP-MSS value is set too low
- B. The EXT group is not configured as an external type BGP peering session
- C. The EBGP session is configured to use the wrong AS
- D. The keep all statement is preventing the session from establishing

Correct Answer: B

QUESTION 5

Which two sequences correctly describe the processing order of firewall filters on an EX Series switch? (Choose two.)

- A. router filter > VLAN filter > port filter > transmit packet
- B. port filter > VLAN filter > router filter > transmit packet
- C. receive packet > port filter > VLAN filter > router filter
- D. receive packet > router filter > VLAN filter > port filter

Correct Answer: AC

[Latest JN0-348 Dumps](#)

[JN0-348 Practice Test](#)

[JN0-348 Braindumps](#)