

JN0-351^{Q&As}

Enterprise Routing and Switching Specialist (JNCIS-ENT)

Pass Juniper JN0-351 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/jn0-351.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center


- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Click the Exhibit button.



Referring to the exhibit, Router 1 learns about Route X.

Which statement is correct about Route X when using the default BGP advertisement rules?

- A. R1 will not advertise this route to any peers.
- B. R3 will not advertise this route to R4 or R5 without an explicit policy.
- C. R4 and R5 will not advertise this route to each other.
- D. R2 will not advertise this route to R3 without an explicit policy.

Correct Answer: C

QUESTION 2

What are two interarea OSPF LSA types? (Choose two.)

- A. Type 1 router LSAs
- B. Type 2 network LSAs
- C. Type 3 summary LSAs
- D. Type 4 ASBR summary LSAs

Correct Answer: CD

QUESTION 3

Which statement about persistent MAC learning is correct?



https://www.pass2lead.com/jn0-351.html

2024 Latest pass2lead JN0-351 PDF and VCE dumps Download

- A. Trunk ports require MAC addresses to be configured on each VLAN.
- B. Port moves require manual operator intervention.
- C. Access ports must be configured with the no-mac-learning command.
- D. 802.1X must be configured on the port for persistent MAC learning to work.

Correct Answer: B

QUESTION 4

Which two statements about Martian addresses are correct? (Choose two.)

- A. Martian addresses require a route prefix match type.
- B. Martian addresses are not installed in the routing table by default.
- C. Martian addresses can only be applied to the inet.0 routing table.
- D. Martian addresses are installed in the routing table by default.

Correct Answer: AB

QUESTION 5

The next hop for the route is not reachable.

In this scenario, what are two ways that BGP handles this route? (Choose two.)

- A. The route is placed into the forwarding table as an inactive route.
- B. The route is not placed into the forwarding table.
- C. The route is placed into the routing table as a hidden route.
- D. The route is placed into the forwarding table as a hidden route.

Correct Answer: BC

JN0-351 PDF Dumps

JN0-351 Exam Questions

JN0-351 Braindumps