

JN0-361^{Q&As}

Service Provider Routing and Switching, Specialist Exam

Pass Juniper JN0-361 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-361.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What is the default value of the TTL in a VRRP advertisement?

- A. 0
- B. 1
- C. 64
- D. 255

Correct Answer: D

The VRRP advertisement packet uses a time-to-live (TTL) value of 255 and cannot be forwarded beyond the local subnet on which it is sent. This value cannot be adjusted, and any packet that has a TTL value other than 255 is discarded.

QUESTION 2

You have configured refresh reduction in your RSVP network but you suspect that some of the Junos devices are not correctly operating in that mode. Which operational mode command can be used to view the refresh messages sent and received?

- A. show rsvp interface
- B. show rsvp version
- C. show rsvp neighbor detail
- D. show rsvp session detail

Correct Answer: C

QUESTION 3

Which three BGP attributes must be sent to EBGP peers? (Choose three.)

- A. local preference
- B. atomic aggregator
- C. origin
- D. next hop
- E. AS path

Correct Answer: CDE

QUESTION 4

To which OSPF state does a device transition once it receives an initial hello packet?

- A. 2Way
- B. Full
- C. ExStart
- D. Exchange

Correct Answer: A

QUESTION 5

What are three types of interfaces that can be used in an MX Series device when implementing a virtual switch routing instance? (Choose three.)

- A. Trunk interface
- B. Access interface
- C. Layer 2 logical interface
- D. GRE tunnel interface
- E. Logical tunnel interface

Correct Answer: ABC

[JN0-361 VCE Dumps](#)

[JN0-361 Practice Test](#)

[JN0-361 Study Guide](#)