

JN0-362^{Q&As}

Service Provider Routing and Switching - Specialist (JNCIS-SP)

Pass Juniper JN0-362 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-362.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Click the Exhibit button.

```
user@router> show interfaces terse ge-0/0/0.0
ge-0/0/0.0      up    up    inet6      2001:db8:0:9:206:aff:fe0e:e01/64
                                     fe80::206:aff:fe0e:e01/64
                                     multiservice
```

Your co-worker configures the ge-0/0/0 interface with an IPv6 address of 2001:db8:0:9::/64. After committing the configuration, your co-worker executes the command shown in the exhibit.


What is the fe80::206:aff:fe0e:e01/64 address in this scenario?

- A. the loopback address
- B. the multicast address
- C. the statically assigned address
- D. the link-local address

Correct Answer: D

QUESTION 2

Click the Exhibit button.



Referring to the exhibit, the GRE tunnel between R-1 and R-2 allows connectivity between User-1 and Server-1. When User-1 communicates with Server-2 with packets that are 1472 bytes in size, no packet fragmentation occurs. User-1 can communicate with Server-1 with packets that are up to 1448 bytes in size with no packet fragmentation. However, if

the packet size is larger than 1448 bytes, packet fragmentation occurs.

Why is the packet fragmentation occurring between User-1 and Server-1 in this scenario?

- A. The GRE header adds 20 bytes to the packet
- B. The GRE header adds 24 bytes to the packet
- C. The IP header adds 20 bytes to the packet
- D. The IP header adds 24 bytes to the packet

Correct Answer: B

QUESTION 3

Which two characteristics describe IS-IS? (Choose two.)

- A. A collection of Level 1 routers serves as the IS-IS backbone
- B. Level 2 routers connect areas in an IS-IS autonomous system
- C. A collection of Level 2 routers serve as the IS-IS backbone
- D. A Level 1 IS routes between areas and toward other autonomous systems

Correct Answer: BC

Reference: https://www.juniper.net/documentation/en_US/junos/topics/concept/isis-levelsunderstanding.html

QUESTION 4

You are deploying an RSVP-based MPLS network in your core. You must ensure that your LSPs are continually analyzing the usage levels and recalculating the best LSP. You also want to ensure that a minimal amount of traffic is lost when an LSP is re-signaled without user intervention.

Which two features must be enabled in this scenario? (Choose two.)

- A. adaptive
- B. MPLS fast reroute
- C. class of service
- D. auto-bandwidth

Correct Answer: BD

QUESTION 5

Which two statements are correct about the BGP MED attribute? (Choose two.)

- A. BGP uses the MED value when peering to two or more connections to the same upstream AS
- B. BGP routes require the MED attribute be defined
- C. BGP uses the MED value when peering to two different upstream ASs
- D. BGP assumes the MED value to be 0, if not already defined

Correct Answer: AD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/med-attribute.html

[JN0-362 PDF Dumps](#)

[JN0-362 VCE Dumps](#)

[JN0-362 Braindumps](#)