

JN0-362^{Q&As}

Service Provider Routing and Switching - Specialist (JNCIS-SP)

Pass Juniper JN0-362 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-362.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Click the Exhibit button.

```
[edit protocols mpls]
user@router# show
label-switched-path R1-to-R6 {
    to 172.17.20.6;
    install 10.3.0.0/24 active;
}

[edit routing-options]
user@router# show
static {
    route 10.3.0.0/24 {
        lsp-next-hop R1-to-R6;
    }
}
```

Both configuration hierarchies shown in the exhibit have been committed to your MX Series device.

Which two statements are true in this scenario? (Choose two.)

- A. Traffic destined to 10.3.0.1 will use the R1-to-R6 LSP as a next hop
- B. Traffic destined to 10.3.0.1 will not use the R1-to-R6 LSP as a next hop
- C. The active 10.3.0.0/24 prefix installed in the route table will have a route preference of 5
- D. The active 10.3.0.0/24 prefix installed in the route table will have a route preference of 7

Correct Answer: AD

QUESTION 2

Which statement is true about an OSPF broadcast link?

- A. All routers form an adjacency only with the BDR
- B. All routers form an adjacency only with the DR
- C. All routers form an adjacency with all other routers
- D. All routers form an adjacency with both the DR and BDR

Correct Answer: D

Reference: <https://sites.google.com/site/amitscisozone/home/juniper-junos/junos--ospf-designated-router>

QUESTION 3

Click the Exhibit button.

```
[edit protocols]
user@router# show ospf
area 0.0.0.0
    interface ge-0/0/1.0
        bfd-liveness-detection {
            minimum-interval 300;
        multiplier 4;
        session-mode automatic;
    }
}
```


Referring to the exhibit, how many milliseconds must pass before the interface ge-0/0/1.0 is considered down?

- A. 1200 ms
- B. 900 ms
- C. 1600 ms
- D. 2400 ms

Correct Answer: A

QUESTION 4

Click the Exhibit button.



Referring to the exhibit, which statement is correct?

- A. R2 will be the designated router
- B. R3 will not participate in the election process
- C. R1 will not participate in the election process
- D. R4 will be the designated router

Correct Answer: B

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/configuring-ospfareas.html#id-example-controlling-ospf-designated-router-election

QUESTION 5

Click the Exhibit button.

```
[edit protocols]
user@router# show
isis {
    interface ge-0/0/0.0;
}
```

Referring to the exhibit, which statement about the IS-IS interface is true?

- A. The ge-0/0/0.0 interface will act as an L1/L2 interface

- B. The ge-0/0/0.0 interface will act as an L2 interface only
- C. The ge-0/0/0.0 interface will act as an L1 interface only
- D. The ge-0/0/0.0 interface will not be assigned to a level

Correct Answer: A

[JN0-362 VCE Dumps](#)

[JN0-362 Practice Test](#)

[JN0-362 Exam Questions](#)