

JN0-420^{Q&As}

Automation and DevOps, Specialist (JNCIS-DevOps)

Pass Juniper JN0-420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-420.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Click the Exhibit button. Exhibit:

```
<rpc-reply xmlns:junos="http://xml.juniper.net/junos/17.3/junos">
  <rpc>
    <get-interface-information>
      <terse/>
    </get-interface-information>
  </rpc>
  <cli>
    <banner></banner>
  </cli>
</rpc-reply>
```

You need to programmatically extract interface information using PyEZ from your MX Series device. You log in and use the show interfaces terse | display xml rpc command and see the information shown in the exhibit.

What is the correct PyEZ syntax to accomplish this task?

- A. dev.rpc.get-interface-information()
- B. dev.rpc.get_interface_information(terse=True)
- C. dev.rpc.get-interface-information(terse=True)
- D. dev.rpc.get_interface_information()

Correct Answer: B

QUESTION 2

A customer has a control machine with a default Ansible installation. During execution of an Ansible module against a Junos device, the Ansible control machine generates the msg: unable to connect to router1.example.com: ConnectRefusedError (router1.example.com) error.

What is the cause for this error?

- A. router1.example.com was not defined in /etc/hosts on the control machine
- B. Ansible cannot connect to the device through NETCONF
- C. router1.example.com was not defined in /etc/ansible/inventory/hosts on the control machine
- D. Ansible cannot authenticate to the device

Correct Answer: B

Reference: https://www.juniper.net/documentation/en_US/junos-ansible1.0/information-products/pathwaypages/junos-ansible.pdf

QUESTION 3

Click the Exhibit button. Exhibit:

```
- - -  
- name: Play 1  
  hosts: localhost  
  connection: local  
  gather_facts: no  
  tasks:  
    - name: Task C  
      command: /bin/true  
    - name: Task B  
      fail:  
        msg: "Task B failed."  
    - name: Task A  
      command: /bin/true
```

Referring to the exhibit, what is the execution order of tasks in the Ansible playbook?

- A. Task A > Task B
- B. Task A > Task B > Task C
- C. Task C > Task B
- D. Task C > Task B > Task A

Correct Answer: A

Reference: http://docs.ansible.com/ansible/latest/playbooks_intro.html

QUESTION 4

Click the Exhibit button. Exhibit:

```
action = jcs.get_snmp_action  
oid = jcs.get_snmp_oid
```

Where would the Python code shown in the exhibit be used?

- A. a commit script

- B. an op script
- C. an event script
- D. an SNMP script

Correct Answer: D

Reference: https://www.juniper.net/documentation/en_US/junos/topics/reference/scripting/junos-scriptautomation-function-jcs-get-snmp-action.html

QUESTION 5

Which statement describes the purpose of Ansible roles?

- A. A collection of hosts that have been categorized by purpose
- B. A collection of permissions for users of your Ansible setup
- C. A collection of tasks to be run on a given set of hosts
- D. A collection of Ansible playbooks

Correct Answer: C

Reference: http://docs.ansible.com/ansible/latest/playbooks_reuse_roles.html

[Latest JN0-420 Dumps](#)

[JN0-420 PDF Dumps](#)

[JN0-420 Study Guide](#)