

JN0-451^{Q&As}

Mist AI - Specialist (JNCIS-MistAI)

Pass Juniper JN0-451 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/jn0-451.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

You have received a Marvis Actions Missing VLAN notification.

In this scenario, where is the problem?

- A. The gateway is missing the VLAN.
- B. An access point is missing the VLAN.
- C. A client is missing the VLAN.
- D. A switch is missing the VLAN.

Correct Answer: D

Reference: https://www.mist.com/documentation/what-is-marvis-actions/

QUESTION 2

What are two functions of Mist Radio Resource Management (RRM)? (Choose two.)

- A. transmit power control
- B. WLAN scheduling
- C. channel assignment
- D. Ethernet configurations

Correct Answer: AC

QUESTION 3

Click the Exhibit button.



Security site Threats Neighbor APs	Primary Site I Hr 24 Hrs Approved APs List Location				Gener	ate PCI Report	View Client Classification
SSID	BSSID	Band	Channel	A Avg. RSSI	Seen By	Nearest AP	Location
CS-recnet			1	-55.9 dBm	1 APs	AP43	Home
Frontier3984	×		1	-76.6 dBm	1 APs	AP43	Home
Verizon-5G_Tuna	6		1	-79.0 dBm	1 APs	AP43	Home
NETGEAR24			4	-78.2 dBm	1 APs	AP43	Home
Eero1234	and the second second		5	-78.9 dBm	1 APs	AP43	Home
Bob24WiFi	-		6	-69.5 dBm	1 APs	AP43	Home

Referring to the exhibit, in the USA, which two statements are correct? (Choose two.)

A. The WLAN with SSID Eero1234 is not configured to industry best practices.

B. The WLAN with SSID Eero1234 is configured to industry best practices.

C. The WLAN with SSID NETGEAR24 is not configured to industry best practices.

D. The WLAN with SSID NETGEAR24 is configured to industry best practices.

Correct Answer: AC

QUESTION 4

Regarding the seven layer OSI networking model, which two layers are different between Ethernet and Wi-Fi? (Choose two.)

- A. media access control (MAC) sub-layer
- B. network layer
- C. logical link control (LLC) sub-layer
- D. physical layer

Correct Answer: AD

QUESTION 5

Which two events are displayed under the Client Events area found on the Insights page? (Choose two.)

- A. Reassociation
- B. Restart by User
- C. Reflection (Loop Detection)



D. DHCP Denied

Correct Answer: AD

JN0-451 VCE Dumps

JN0-451 Exam Questions

JN0-451 Braindumps