

JN0-634^{Q&As}

Security, Professional (JNCIP-SEC)

Pass Juniper JN0-634 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-634.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Click the Exhibit button.

```
[edit]
user@host# show interfaces
ge-0/0/3 {
  unit 0 {
    family inet {
      address 10.1.1.1/24;
    }
  }
}
ge-0/0/4 {
  unit 0 {
    family ethernet-switching {
      interface-mode access;
      vlan;
      members SV;
    }
  }
}
ge-0/0/5 {
  unit 0 {
    family ethernet-switching {
      interface-mode access;
      vlan {
        members SV;
      }
    }
  }
}
irb {
  unit 0 {
    family inet {
      address 172.20.101.101/24;
    }
  }
}

[edit]
user@host# show vlans
SV {
  vlan-id 101;
  13-interface irb.0;
}

[edit]
user@host# show security zones security-zone L2
interfaces {
  irb.0;
}

[edit]
user@host# show security polciies

[edit]
user@host#

[edit]
user@host# run show ethernet-switching global-information
Global Configuration:

MAC aging interval      : 300
MAC learning            : Enabled
MAC statistics          : Disabled
MAC limit Count         : 65535
MAC limit hit           : Disabled
MAC packet action drop  : Disabled
LE aging time           : 1200
LE VLAN aging time      : 1200
Global Mode              : Transparent bridge
```

Two hosts on the same subnet are connected to an SRX340 using interfaces ge-0/0/4 and ge-0/0/5. The two hosts can communicate with each other, but they cannot communicate with hosts outside of their subnet.

Referring to the exhibit, which three actions would you take to solve this problem? (Choose three.)

- A. Add the ge-0/0/4 and ge-0/0/5 interfaces to the L2 zone.
- B. Remove the irb.0 interface from the L2 zone.
- C. Set the SRX340 to Ethernet switching mode.
- D. Configure a security policy to permit the traffic.
- E. Reboot the SRX340.

Correct Answer: CDE

QUESTION 2

Click the Exhibit button.

```
[edit security utm]
user@host# show
feature-profile {
    content-filtering {
        profile web-traffic-profile {
            block-content-type {
                zip;
            }
        }
    }
}
utm-policy utm-web-policy {
    content-filtering {
        http-profile web-traffic-profile;
    }
}
```

The UTM policy shown in the exhibit has been applied to a security policy on a branch SRX Series device. In this scenario, which statement is true?

- A. HTTP downloads of ZIP files will be blocked.
- B. FTP downloads of ZIP files will be blocked.
- C. E-mail downloads of ZIP files will be blocked.
- D. ZIP files can be renamed with a new extension to pass through the filter.

Correct Answer: A

QUESTION 3

Which two parameters are required to match in an IDP rule for the terminal option to take effect? (Choose two.)

- A. attacks custom-attacks
- B. attacks predefined-attacks
- C. application
- D. source-address

Correct Answer: AB

QUESTION 4

Click the Exhibit button.

```
[edit security idp]
user@host# show
idp-policy example-idp-policy {
  rulebase-ips {
    rule r1 {
      match {
        source-address 10.1.0.0/146;
        attacks {
          predefined-attack-groups "HTTP - All";
        }
      }
      then {
        action {
          no-action;
        }
        notification {
          log-attacks;
        }
      }
    }
  }
  rule r2 {
    match {
      source-address 10.1.1.85/32;
      attacks {
        predefined-attack-groups "HTTP - All";
      }
    }
    then {
      action {
        mark-diffserv {
          8;
        }
      }
    }
  }
  rule r3 {
    match {
      source-address 10.0.0.0/8;
      attacks {
        predefined-attack-groups "HTTP - All";
      }
    }
    then {
      action {
        drop-connection;
      }
    }
  }
  rule r4 {
    match {
      source-address any;
      attacks {
        predefined-attack-groups "HTTP - All";
      }
    }
    then {
      action {
        close-client-and-server;
      }
    }
  }
}
}
```

Referring to the exhibit, a user with IP address 10.1.1.85 generates a request that triggers the HTTP:EXT:DOT-LNK IDP signature that is a member of the "HTTP ?All" predefined attack group.

In this scenario, which statement is true?

- A. The session will be closed and a reset sent to the client and server.
- B. A Differentiated Services code point value of 8 will be applied.
- C. No action will be taken and the attack information will be logged.
- D. The session will be dropped with no reset sent to the client or server.

Correct Answer: D

QUESTION 5

Your manager has notices a drop in productivity and believes it is due to employees checking their social media feeds too frequently. You are asked to provide analytical statistics for this traffic within your network on an hourly basis.

Which AppSecure feature should be used to collect this information?

- A. AppQoS
- B. AppFW
- C. AppTrack
- D. APBR

Correct Answer: C

[Latest JN0-634 Dumps](#)

[JN0-634 VCE Dumps](#)

[JN0-634 Practice Test](#)