

# JN0-635<sup>Q&As</sup>

Security, Professional

## Pass Juniper JN0-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-635.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

You have noticed a high number of TCP-based attacks directed toward your primary edge device. You are asked to configure the IDP feature on your SRX Series device to block this attack. Which two IDP attack objects would you configure to solve this problem? (Choose two.)

- A. Network
- B. Signature
- C. Protocol anomaly
- D. host

Correct Answer: BC

---

**QUESTION 2**

You are asked to set up notifications if one of your collector traffic feeds drops below 100 kbps.

Which two configuration parameters must be set to accomplish this task? (Choose two.)

- A. Set a traffic SNMP trap on the JATP appliance
- B. Set a logging notification on the JATP appliance
- C. Set a general triggered notification on the JATP appliance
- D. Set a traffic system alert on the JATP appliance

Correct Answer: BD

---

**QUESTION 3**

Click the Exhibit button.

```
user@SRX5800> show security idp status
```

```
-----  
State of IDP: Default, Up since: 2019-11-02 09:58:29 EDT (1w5d 03:44 ago)
```

```
Packets/second: 1          Peak: 441 @ 2019-11-14 11:02:54 EST  
KBits/second : 35881      Peak: 285133 @ 2019-11-14 12:43:05 EST  
Latency (microseconds): [min: 0] [max: 0] [avg: 0]
```

```
Packet Statistics:  
[ICMP: 0] [TCP: 713498] [UDP: 0] [Other: 0]
```

```
Flow Statistics:  
ICMP:[Current: 0] [Max: 0 @ 2019-11-02 09:58:29 EDT]  
TCP:[Current: 10] [Max: 23153 @ 2019-11-14 12:28:38 EST]  
UDP:[Current: 0] [Max: 0 @ 2019-11-02 09:58:29 EDT]  
Other:[Current: 0] [Max: 0 @ 2019-11-02 09:58:29 EDT]
```

```
Session Statistics:  
[ICMP: 0] [TCP: 5] [UDP: 0] [Other: 0]
```

```
Number of SSL Sessions : 0
```

```
Policy Name : IPS-POLICY  
Running Detector Version : 12.6.130190828
```

```
Forwarding process mode : regular
```

Referring to the exhibit, which IPS deployment mode is running on the SRX5800 device?

- A. sniffer mode
- B. integrated mode
- C. monitor mode
- D. in-line tap mode

Correct Answer: B

---

#### QUESTION 4

Which feature of Sky ATP is deployed with Policy Enforcer?

- A. zero-day threat mitigation
- B. software image snapshot support
- C. device inventory management
- D. service redundancy daemon configuration support

Correct Answer: A

**QUESTION 5**

Your SRX Series device does not see the SYN packet. What is the default action in this scenario?

- A. The device will forward the subsequent packets and the session will be established
- B. The device will forward the subsequent packets and the session will not be established
- C. The device will drop the subsequent packets and the session will not be established
- D. The device will drop the subsequent packets and the session will be established

Correct Answer: C

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-tcp-sessionchecks.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-tcp-sessionchecks.html)

[Latest JN0-635 Dumps](#)

[JN0-635 Practice Test](#)

[JN0-635 Study Guide](#)