

JN0-636^{Q&As}

Service Provider Routing and Switching Professional (JNCIP-SP)

Pass Juniper JN0-636 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-636.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What is the purpose of the Switch Microservice of Policy Enforcer?

- A. to isolate infected hosts
- B. to enroll SRX Series devices with Juniper ATP Cloud
- C. to inspect traffic for malware
- D. to synchronize security policies to SRX Series devices

Correct Answer: D

Explanation: The Switch Microservice of Policy Enforcer is used to synchronize security policies to SRX Series devices. It receives the policy configuration from the Policy Manager and pushes it to the SRX Series devices. It's responsible for configuring the security policies on the SRX devices, including firewall rules, VPN configurations, and other security features.

The purpose of the Switch Microservice of Policy Enforcer is to synchronize security policies to SRX Series devices. It allows administrators to quickly apply security policies across their network devices, ensuring consistent security settings. Additionally, it can help to prevent unauthorized access and malware propagation.

QUESTION 2

Exhibit Referring to the exhibit, which three statements are true? (Choose three.)

```
Exhibit

user@srx> show log flow-log
Apr 13 17:46:17 17:46:17.316930:CID-0:THREAD_ID-01:RT:<10.10.101.10/65131-
>10.10.102.1/22;6,0x0> matched filter F1:
Apr 13 17:46:17 17:46:17.317009:CID-0:THREAD_ID-01:RT: routed (x_dst_ip
10.10.102.1) from trust (ge-0/0/4.0 in 0) to ge-0/0/5.0, Next-hop: 10.10.102.1
Apr 13 17:46:17 17:46:17.317016:CID-0:THREAD_ID-
01:RT:flow_first_policy_search: policy search from zone trust-> zone dmz
(0x0,0xfe6b0016,0x16)
Apr 13 17:46:17 17:46:17.317019:CID-0:THREAD_ID-01:RT:Policy lkup: vsys 0
zone(8:trust) -> zone(9:dmz) scope:0
Apr 13 17:46:17 17:46:17.317020:CID-0:THREAD_ID-01:RT: 10.10.101.10/65131 ->
10.10.102.1/22 proto 6
Apr 13 17:46:17 17:46:17.317031:CID-0:THREAD_ID-01:RT: permitted by policy
trust-to-dmz(8)
Apr 13 17:46:17 17:46:17.317031:CID-0:THREAD_ID-01:RT: packet passed,
Permitted by policy.
Apr 13 17:46:17 17:46:17.317038:CID-0:THREAD_ID-01:RT: choose interface ge-
0/0/5.0(P2P) as outgoing phy if
Apr 13 17:46:17 17:46:17.317042:CID-0:THREAD_ID-01:RT:is_loop_pak: Found loop
on ifp ge-0/0/5.0, addr: 10.10.102.1, rtt_idx: 0 addr_type:0x3.
Apr 13 17:46:17 17:46:17.317044:CID-0:THREAD_ID-
01:RT:flow_first_loopback_check: Setting interface: ge-0/0/5.0 as loop ifp.
Apr 13 17:46:17 17:46:17.317213:CID-0:THREAD_ID-01:RT:
flow_first_create_session
Apr 13 17:46:17 17:46:17.317215:CID-0:THREAD_ID-01:RT: flow_first_in_dst_nat:
0/0/5.0 as incoming nat if.
call flow_route_lookup(): src_ip 10.10.101.10, x_dst_ip 10.10.102.1, in ifp
ge-0/0/5.0, out ifp N/A sp 65131, dp 22, ip_proto 6, tos 0
Apr 13 17:46:17 17:46:17.317227:CID-0:THREAD_ID-01:RT: routed (x_dst_ip
10.10.102.1) from dmz (ge-0/0/5.0 in 0) to .local..0, Next-hop: 10.10.102.1
Apr 13 17:46:17 17:46:17.317228:CID-0:THREAD_ID-
01:RT:flow_first_policy_search: policy search from zone dmz-> zone junos-host
(0x0,0xfe6b0016,0x16)
Apr 13 17:46:17 17:46:17.317230:CID-0:THREAD_ID-01:RT:Policy lkup: vsys 0
zone(9:dmz) -> zone(2:junos-host) scope:0
Apr 13 17:46:17 17:46:17.317230:CID-0:THREAD_ID-01:RT: 10.10.101.10/65131 ->
10.10.102.1/22 proto 6
Apr 13 17:46:17 17:46:17.317236:CID-0:THREAD_ID-01:RT: packet dropped, denied
by policy
Apr 13 17:46:17 17:46:17.317237:CID-0:THREAD_ID-01:RT: denied by policy deny-
ssh(9), dropping pkt
Apr 13 17:46:17 17:46:17.317237:CID-0:THREAD_ID-01:RT: packet dropped, policy
deny.
```

- A. The packet's destination is to an interface on the SRX Series device.
- B. The packet's destination is to a server in the DMZ zone.
- C. The packet originated within the Trust zone.
- D. The packet is dropped before making an SSH connection.
- E. The packet is allowed to make an SSH connection.

Correct Answer: ACD

QUESTION 3

You are connecting two remote sites to your corporate headquarters site; you must ensure that all traffic is secured and only uses a single Phase 2 SA for both sites.

In this scenario, which VPN should be used?

- A. An IPsec group VPN with the corporate firewall acting as the hub device.
- B. Full mesh IPsec VPNs with tunnels between all sites.
- C. A hub-and-spoke IPsec VPN with the corporate firewall acting as the hub device.
- D. A full mesh Layer 3 VPN with the corporate firewall acting as the hub device.

Correct Answer: A

Explanation: <https://www.juniper.net/us/en/local/pdf/app-notes/3500202-en.pdf>

QUESTION 4

You have designed the firewall filter shown in the exhibit to limit SSH control traffic to yours SRX Series device without affecting other traffic. Which two statement are true in this scenario? (Choose two.)

- A. The filter should be applied as an output filter on the loopback interface.
- B. Applying the filter will achieve the desired result.
- C. Applying the filter will not achieve the desired result.
- D. The filter should be applied as an input filter on the loopback interface.

Correct Answer: CD

Explanation: https://www.juniper.net/documentation/en_US/junos/topics/concept/firewall-filter-ex-series-evaluation-understanding.html

QUESTION 5

Exhibit

```
Aug 3 01:28:23 01:28:23.434801:CID-0:THREAD_ID-01:RT: <172.20.101.10/59009-
>10.0.1.129/22;6,0x0> matched filter MatchTraffic:
Aug 3 01:28:23 01:28:23.434805:CID-0:THREAD_ID-01:RT: packet [64] ipid =
36644, @0xef3edece
Aug 3 01:28:23 01:28:23.434810:CID-0:THREAD_ID-01:RT: ---- flow_process_pkt:
(thd 1): flow_ctxt type 15, common flag 0x0, mbuf 0x6918b800, rtbl_idx = 0
Aug 3 01:28:23 01:28:23.434817:CID-0:THREAD_ID-01:RT: ge-
0/0/4.0:172.20.101.10/59009->10.0.1.129/22, tcp, flag 2 syn
Aug 3 01:28:23 01:28:23.434819:CID-0:THREAD_ID-01:RT: find flow: table
0x206a60a0, hash 43106(0xffff), sa 172.20.101.10, da 10.0.1.129, sp 59009, dp
22, proto 6, tok 9, conn-tag 0x00000000
Aug 3 01:28:23 01:28:23.434822:CID-0:THREAD_ID-01:RT: no session found,
start first path. in_tunnel - 0x0, from_cp_flag - 0
Aug 3 01:28:23 01:28:23.434826:CID-0:THREAD_ID-01:RT:
flow_first_create_session
Aug 3 01:28:23 01:28:23.434834:CID-0:THREAD_ID-01:RT: flow_first_in_dst_nat:
in <ge-0/0/3.0>, out <N/A> dst_adr 10.0.1.129, sp 59009, dp 22
Aug 3 01:28:23 01:28:23.434835:CID-0:THREAD_ID-01:RT: chose interface ge-
0/0/4.0 as incoming nat if.
Aug 3 01:28:23 01:28:23.434838:CID-0:THREAD_ID-01:RT:
flow_first_rule_dst_xlate: DST no-xlate: 0.0.0.0(0) to 10.0.1.129(22)
Aug 3 01:28:23 01:28:23.434849:CID-0:THREAD_ID-01:RT: flow_first_routing:
vr_id 0, call flow_route_lookup(): src_ip 172.20.101.10, x_dst_ip 10.0.1.129,
in ifp ge-0/0/4.0, out ifp N/A sp 59009, dp 22, ip_proto 6, tos 0
Aug 3 01:28:23 01:28:23.434861:CID-0:THREAD_ID-01:RT: routed (x_dst_ip
10.1.0.129) from trust (ge-0/0/4.0 in 0) to ge-0/0/2.0, Next-hop: 10.0.1.129
Aug 3 01:28:23 01:28:23.434863:CID-0:THREAD_ID-01:RT:
flow_first_policy_search: policy search from zone trust-> zone untrust
(0x0,0xe6810016,0x16)
Aug 3 01:28:26 01:28:26.434137:CID-0:THREAD_ID-01:RT: packet dropped, denied
by policy
Aug 3 01:28:26 01:28:26.434137:CID-0:THREAD_ID-01:RT: denied by policy Deny-
Telnet(5), dropping pkt
Aug 3 01:28:26 01:28:26.434138:CID-0:THREAD_ID-01:RT: packet dropped,
policy deny.
```

Which two statements are correct about the output shown in the exhibit? (Choose two.)

- A. The packet is silently discarded.
- B. The packet is part of an existing session.
- C. The packet is part of a new session.
- D. The packet is explicitly rejected.

Correct Answer: CD