

JN0-662^{Q&As}

Service Provider Routing and Switching - Professional (JNCIP-SP)

Pass Juniper JN0-662 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-662.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

How is a BGP Layer 2 VPN prefix formed by a PE?

- A. by combining the route distinguisher and vrf-target, in that order
- B. by combining the route distinguisher, remote site identifier, and site identifier, in that order
- C. by combining the route distinguisher, site identifier, and remote site identifier, in that order
- D. by combining the vrf-target and route distinguisher, in that order

Correct Answer: C

QUESTION 2

You want to add a new OSPF area to your existing OSPF network, however, this area will not be directly connected to Area 0. Which feature would you use to complete this task?

- A. a routing policy
- B. not-so stubby area
- C. virtual link
- D. Type 10 LSA

Correct Answer: C

QUESTION 3

Click the Exhibit button.

```
[edit protocols bgp group AS65200]
user@R1# show
type external;
neighbor 10.11.1.1 {
  peer-as 65200;
}
neighbor 10.11.2.1 {
  peer-as 65200;
}
```

Referring to the exhibit, what must be added to the existing configuration to ensure that per-prefix load balancing occurs?

- A. multihop
- B. keep all
- C. multipath
- D. family inet unicast

Correct Answer: C

QUESTION 4

Click the Exhibit button.

```
[edit interfaces]
user@router# show
ge-1/0/0 {
  unit 0 {
    family inet {
      filter {
        input inbound_filter;
        output outbound_filter;
      }
      policer {
        input inbound_policer;
        output outbound_policer;
      }
      address 10.10.100.1/24;
    }
  }
}
```

Referring to the exhibit, in which order will ICMP traffic be processed by the configured filters and policers for interface ge-1/0/0?

- A. input filter, input policer, output policer, output filter
- B. input policer, input filter, output policer, output filter
- C. input filter, input policer, output filter, output policer
- D. input policer, input filter, output filter, output policer

Correct Answer: D

QUESTION 5

Click the Exhibit button.

```
user@R1# show routing-instances
vpn-a {
  instance-type 12vpn;
  interface ge-0/0/1.512;
  interface ge-0/0/1.513;
  route-distinguisher 192.168.1.1:1;
  vrf-import import-vpn-a;
  vrf-export export-vpn-a;
  protocols {
    12vpn {
      encapsulation-type ethernet-vlan;
      site CE-A {
        site-identifier 1;
        interface ge-0/0/1.512;
        interface ge-0/0/1.513;
      }
    }
  }
}
```

You have configured a BGP-signaled Layer 2 VPN with the configuration shown in the exhibit. Which two statements are true in this situation? (Choose two.)

- A. Remote site 1 is dual-homed.
- B. The local site is site ID 1.
- C. The route-distinguisher is in the wrong format.
- D. Interface ge-0/0/1.512 is connected to the local site

Correct Answer: AB