

LX0-104^{Q&As}

CompTIA Linux+ [Powered by LPI] 2

Pass CompTIA LX0-104 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/lx0-104.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following commands are used to manage the environment and shell variables within a shell process? (choose two correct answers.)

- A. export
- B. init
- C. reset
- D. set
- E. tset

Correct Answer: AD

QUESTION 2

What is true about groups in a Linux system? (Choose two correct answers.)

- A. Each user may be a member of several groups. However, only one group is the user's primary group.
- B. Groups may have a password that allows users to join that group temporarily.
- C. Each user can only be a member of one group at a time.
- D. Group memberships are optional such that there may be users that do not belong to any group.
- E. Groups can be nested meaning that one group can be a member of another group.

Correct Answer: AB

QUESTION 3

Which of the following is observed and corrected by a NTP client?

- A. The skew in time between the system clock and the hardware clock.
- B. The skew in time between the system clock and the reference clock.
- C. Changes in the time zone of the current computer's location.
- D. Adjustments needed to support Daylight Saving Time.

Correct Answer: B

QUESTION 4

Which file specifies the user accounts that can NOT submit jobs via at or batch? (Provide the full path and filename)

A. /etc/at.deny

Correct Answer: A

QUESTION 5

Which of the following is true regarding the mail queue of a mail server? (choose two correct answers.)

- A. The messages in the queue must be readable by all users as the queue may contain messages for several users.
- B. According to the Filesystem Hierarchy Standard (FHS) the queue is located at /var/mail/spool.
- C. There is exactly one mail queue per user which holds all new messages for that user before they are moved to other folders by the user's mail client.
- D. The queue holds all messages that are processed by the mail server but have not yet been completely delivered.
- E. The content of the mail queue can be queried by the command mailq.

Correct Answer: DE

[Latest LX0-104 Dumps](#)

[LX0-104 VCE Dumps](#)

[LX0-104 Exam Questions](#)