

# MAGENTO2-CERTIFIED-ASSOCIATE-DEVELOPER<sup>Q&As</sup>

Magento 2 Certified Associate Developer

**Pass Magento MAGENTO2-CERTIFIED-ASSOCIATE-DEVELOPER Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/magento-2-certified-associate-developer.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Magento  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Which two ways does Magento persist category relationships in the database? (Choose two.)

- A. Using slash-separated values in the path field
- B. in the table catalog\_category\_index
- C. in the parent\_id field
- D. Using comma-separated values in the parent-ids field

Correct Answer: BC

---

### QUESTION 2

You are reviewing a theme in app/design/frontend/MyCompany/MyTheme and see the file etc/view.xml.

What is the function of this file?

- A. It configures Grunt to compile assets for the theme
- B. It stores theme and image configuration values
- C. It specifies the applicable CSS files for the theme
- D. It informs Magento that the theme is present and available for use

Correct Answer: B

Reference: <https://dev.to/asrar7787/magento-2-theme-what-is-etc-view-xml-3hki>

---

### QUESTION 3

Your module adds a new controller class which will return a JSON response. What will be the return type of the execute method?

- A. You should implement a new API endpoint instead of returning JSON from a controller
- B. The string value of `\Zend\Json::encode()`
- C. An instance of `\Magento\Framework\Controller\Result\Json`
- D. No return needed, an object that can be converted to JSON must be set as the Response body

Correct Answer: C

Reference: <https://www.brainacts.com/blog/how-to-return-a-json-response-from-a-controller-in-magento-2>

---

#### QUESTION 4

You are implementing a custom module MyModule, which provides an implementation of \Psr\Log \LoggerInterface called \MyCompany\MyModule\Logger.

The LoggerInterface has the default preference declared in app/etc/di.xml.

Keeping upgradability in mind, how do you make \MyCompany\MyModule\Logger the default implementation of the LoggerInterface globally?

- A. Declare a new preference for the LoggerInterface in app/code/myCompany/MyModule/etc/frontend/ di.xml
- B. Declare a new preference for the LoggerInterface in MyCompany/MyModule/etc/di.xml
- C. Overwrite the existing preference for the LoggerInterface in app/etc/di.xml
- D. Declare a new preference for the LoggerInterface in app/code/MyCompany/MyModule/etc/global/di.xml

Correct Answer: C

Reference: <https://inchoo.net/magento-2/magento-2-logging/>

---

#### QUESTION 5

A module MyModule needs to send notifications to customers only when the account was modified from a mobile app using the REST web APIs.

You decided to implement an observer for customer\_save\_after\_data\_object event.

In which file do you declare the observer?

- A. etc/webapi\_rest/events.xml
- B. etc/adminhtml/events.xml
- C. etc/webapi/rest\_events.xml
- D. etc/events.xml

Correct Answer: D

Reference: <https://magento.stackexchange.com/questions/256268/how-to-trigger-observer-by-rest-api>

[MAGENTO2-CERTIFIED-ASSOCIATE-DEVELOPER Practice Test](#)

[MAGENTO2-CERTIFIED-ASSOCIATE-DEVELOPER Study Guide](#)

[MAGENTO2-CERTIFIED-ASSOCIATE-DEVELOPER Braindumps](#)