

NAPLEX^{Q&As}

North American Pharmacist Licensure Examination

Pass Test Prep NAPLEX Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/naplex.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



QUESTION 1

| A CD4 count of 180 cells per cubic meter may be evaluated as which of these? |
|--|
| A. Very low |
| B. Low |
| C. High |
| D. Severely high |
| Correct Answer: A |
| A CD4 count of 180 cells per cubic meter is considered very low ?typically an indicator that the patient has an immunocompromised state, such as AIDS. CD4 counts are a measure of healthy T-cell levels. The lower the count, the more susceptible the patient is to opportunistic infections. A normal range is between 500 and 1,500 cells. |
| QUESTION 2 |
| A 49-year-old\\'s blood test results have come back from the lab. Their chloride level currently measures 99 mEq/L. Ho should you interpret this result? |
| A. Very low, requires immediate treatment |
| B. Slightly below normal |
| C. Within the normal range |
| D. Very high, requires immediate treatment |
| Correct Answer: C |
| Serum chloride levels should ideally fall between 96-106 mEq/L. For this reason, the patient\\'s chloride level has come back as normal. |
| QUESTION 3 |
| Which of the following medication may increase LDL? |
| A. Amiodarone |
| B. Lisinopril |
| C. Hydrochlorothiazide |
| D. Acetaminophen |
| E. Cyclosporine |

Correct Answer: E



https://www.pass2lead.com/naplex.html

2024 Latest pass2lead NAPLEX PDF and VCE dumps Download

LDL can be elevated by diuretics, cyclosporine, glucocorticoids, and amiodarone.

Reference: http://circ.ahajournals.org/content/129/25_suppl_2/S1

QUESTION 4

In a study where Rivaroxaban was compared to Enoxaparin to find total VTE following HIP replacement surgery, there were 17 total VTE out of 1513 patients in the Rivaraoaban group and 57 total VTE out of 1473 patient in the enoxaparin group.

- A. 17
- B. 57
- C. 71
- D. 2.7
- E. 0.27

Correct Answer: D

QUESTION 5

Which of the following would be most appropriate to treat infections associated with stenotrophomonas maltophilia?

- A. Meropenem
- B. Vancomycin
- C. Ciprofloxacin
- D. Sulfamethoxazole/trimethoprim
- E. Ampicillin

Correct Answer: D

Primary treatment for stenotrophomonas maltophilia is SMX-TMP. Meropenem, ciprofloxacin, Ampicillin and vancomycin have no coverage.

NAPLEX Practice Test NAPLEX Exam Questions

NAPLEX Braindumps