

# NCA-5.15<sup>Q&As</sup>

Nutanix Certified Associate (NCA) 5.15 Exam

**Pass Nutanix NCA-5.15 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/nca-5-15.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by Nutanix  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.



A team member has built a CentOS VM image for use as a template. An administrator deploys a new VM using the CentOS image as the 05 drive. No other drives are presented to the VM.


Following the deployment, the administrator attempts to boot the VM, but is unsuccessful.

What could be causing this issue?

- A. The VMS Boot Priority must reference disk first before CD-ROW
- B. The VM\'s Disk (scsi.0) setting must be set to make this disk bootable
- C. No Volume Groups have been created for the VM
- D. The CentOS VM image was built with UEFI:

Correct Answer: D

**QUESTION 2**



An administrator has five VMs running on AHV. After creating a new VM and attaching a NIC to the Network Name as shown in the exhibit, the new VM is not able to ping its gateway. The other five VMs are able to successfully communicate with the gateway using the same Network Name.

Which statement would explain why the new VM would not be able to ping its gateway?

- A. Each VM needs its own Network Name
- B. The IP address on the new VM is in the wrong subnet
- C. The Network Name is assigned the wrong VLAN ID
- D. You can only have five VMs per Network Name

Correct Answer: C

**QUESTION 3**

What is the minimum RPO supported for a single-node or two-node cluster?

- A. 15 minutes
- B. 6 hours
- C. 5 hours

D. 1 hour

Correct Answer: B

---

#### QUESTION 4

An administrator wants to deploy a virtual desktop solution on a Nutanix cluster and wants to use the existing production network segment. Due to security concerns, DHCP traffic is blocked on the upstream network switch.

How should the administrator proceed?

- A. Enable IPAM and configure an IP Address Pool
- B. Enable Nutanix Flow
- C. Enable DHCP on the TOR Switches
- D. Install and configure third-party DHCP Software

Correct Answer: A

---

#### QUESTION 5

What are two types of Protection Domains that Nutanix offers for Data Protection? (Choose two.)

- A. Metro Availability
- B. Snapshots
- C. Async DR
- D. Consistency Group

Correct Answer: AC

[NCA-5.15 PDF Dumps](#)

[NCA-5.15 Study Guide](#)

[NCA-5.15 Braindumps](#)