

NCA-5.20^{Q&As}

Nutanix Certified Associate (NCA) 5.20 Exam

Pass Nutanix NCA-5.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/nca-5-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

An administrator needs to group VMs by using a custom attribute. At the same time, this tag must not be used to configure other Nutanix services, such as Data Protection.

Which action in Prism Central should the administrator take?

- A. Create a user defined category
- B. Select VMs and create a new Label
- C. Create a new Playbook
- D. Create a new Catalog Item

Correct Answer: A

QUESTION 2

An administrator has received the following critical alert:

Node 192.168.148.172 is marked to be detached from metadata The administrator has opened a case with Nutanix and the support engineer has requested more information about the error.

Which two actions should the administrator take in the Health Check dashboard to collect the requested information? (Choose two.)

- A. Create an Entity chart
- B. Open a remote support tunnel.
- C. Run the Log Collector
- D. Run the Nutanix Cluster Check

Correct Answer: CD

QUESTION 3

Which Component Allows you to pair sites for disaster Recovery Policy Creation Using Nutanix Leap?

- A. Availability Zones
- B. Protection Domains
- C. Recovery Plans
- D. Protection Policies

Correct Answer: A

QUESTION 4

An administrator needs to replace a node in a three-node cluster. The health status for the environment is good and the cluster is able to support a single node failure.


Which step must be performed first?

- A. Remove the failed node from the cluster
- B. Verify hypervisor versions
- C. Plug in all network cables
- D. Expand the cluster with the new node

Correct Answer: D

QUESTION 5

Refer to the exhibit.



The screenshot shows a window titled "Data Resiliency Status" with a table of components and their failure tolerances. The table has three columns: COMPONENT, FAILURES TOLERABLE, and MESSAGE. The data is as follows:

COMPONENT	FAILURES TOLERABLE	MESSAGE
Static Configuration	1	
ZooKeeper	0	Desired fault tolerance for Zookeeper is 1 but we can tolerate only 0 node failure(s)
Stargate Health	0	Based on unhealthy node list (5,) the cluster can tolerate a maximum of 0 node failure(s)
Oplog	1	
Metadata	0	Metadata ring partitions with nodes: 192.168.1.33, 192.168.1.31, 192.168.1.32 are not fault tolerant.
Extent Groups	1	
Erasur Code	1	

An administrator notices that the Data Resiliency Statue of some components has been reduced to 0, making it impossible to support a node failure in the cluster.

What type of failure is most likely the cause of this issue?

- A. Block
- B. Disk
- C. CVM
- D. Nods

Correct Answer: C