

NCP-5.10^{Q&As}

Nutanix Certified Professional (NCP) 5.10 Exam

Pass Nutanix NCP-5.10 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ncp-5-10.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What is the maximum number of VMs that can be supported by a Scale-Out Prism Central Instance?

- A. 5,000
- B. 12,500
- C. 25,000
- D. 50,000

Correct Answer: C

Reference: <https://next.nutanix.com/how-it-works-22/scaling-out-prism-central-37451>

QUESTION 2

A catastrophic failure occurs at the primary data center. A protection domain has been set up. All required data has been replicated to an offsite DR location.

Which button should an administrator click on at the remote site's protection domain to bring up the replicated VMs?

- A. Replicate
- B. Migrate
- C. Activate
- D. Online

Correct Answer: C

QUESTION 3

An administrator is adding a node with a higher AOS release to an existing cluster.

What is the most efficient action an administrator should take to ensure it is in a supported state?

- A. Destroy cluster and foundation with the new node in place
- B. Add the node to the cluster and leave the existing AOS version in place
- C. Perform standalone reimage of the new node and then add to cluster
- D. Add the node to the cluster and reboot all running VMs to use new release

Correct Answer: C

QUESTION 4

An administrator needs to boot a VM to a bootable CD. The administrator tries to configure the VM to boot to it, selects to add disk, and goes to the images available. The image for the bootable CD is unavailable. What is the likely issue?

- A. The CD-ROM interface is too slow
- B. The bootable CD image is corrupted during creation
- C. The VM needs to have a standard disk attached before it can boot to a CD
- D. The administrator selected a disk instead of an ISO when creating the image

Correct Answer: B

Reference: <https://next.nutanix.com/prism-infrastructure-management-26/booting-vm-to-cd-no-drives-present-31800>

QUESTION 5

A customer has a newly-deployed AHV cluster with nodes that have 2 x 10GbE and 2 x 1GbE interfaces. The customer wants to use all available network interfaces to provide connectivity to the VMs. Which option should the administrator use to achieve this while remaining consistent with Nutanix recommendations?

- A. Create bond1 on virbr0 and add the 1GbE interfaces to it for VM use
- B. Create a second bridge on each host and assign the 1GbE interfaces to it
- C. Create a second bond on br0 on each host and assign the 1GbE interfaces to it
- D. Create separate VLANs that map 10GbE and 1GbE interfaces

Correct Answer: D

[NCP-5.10 PDF Dumps](#)

[NCP-5.10 Study Guide](#)

[NCP-5.10 Exam Questions](#)