

NREMT^{Q&As}

National Registry Emergency Medical Technician

Pass Medical Tests NREMT Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/nremt.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Medical Tests Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

This type of seizure activity is absent of large muscle contractions, often just starring off in space.

- A. Petit mal
- B. Febrile
- C. Focal motor
- D. Grand mal

Correct Answer: A

Petit mal seizures are generally thought of as absence of seizure activity. They usually present with the young patient starring off in space with little to no muscle contractions. Petit mal seizures are generally short in nature and there is usually no postictal period, the patient just wakes up and realizes that something happened.

QUESTION 2

What does PMS stand for during your assessment of a patient's lower extremity?

- A. Pedial , Motion, Sensation
- B. Pain, Motion, Severity
- C. Pulse, Motor function, Sensation
- D. Pulse, Motor sensation, Severity

Correct Answer: C

PMS stands for Pulse, Motor function, Sensation. It is especially to asses for PMS after splinting an extremity.

QUESTION 3

You are performing rescue breaths using an Ambu bag attached to 100% O2, after several breaths you notice the patients O2 saturation has dropped significantly. What should you do next?

- A. Increase the rate of respirations
- B. Reposition the patients head
- C. Change the seal on the mask
- D. Remove the oral airway from the patients mouth

Correct Answer: B

This is a sign that you are not getting effective respirations, you should reposition the patient head using the head tilt / chin lift or jaw thrust maneuver and attempt respirations against.

QUESTION 4

What is the best way to handle an amputated extremity?

- A. Pack it in ice
- B. Wrap it in plastic and place on ice
- C. Wrap it in sterile dressings and keep it cool with ice
- D. Place it in a container filled with saline solution

Correct Answer: C

You want to wrap in sterile dressing to prevent infection and keep it cool with ice. You never want to place the part directly on ice, this could cause it to freeze or become frostbitten. The care given to the patient, and the amputated part, are critical in the success of reattachment.

QUESTION 5

You are dispatched to 123 Somewhere Rd to a call for an injured woman as you approach the door or the home a man answers opens the door and tells you "this is none of your business" and to "get out of here". What is the correct course of action in this case.

- A. Return to the ambulance and tell dispatch that the patient has refused care
- B. Reason with the man and explain that the women may need medical attention
- C. Return to the ambulance drive a safe distance away and call for the police to help
- D. Barge past the man and help the woman in the home

Correct Answer: C

As an EMT you should never place yourself in harms way, if you feel a situation may be dangerous you should always wait for assistance from the police.

[NREMT PDF Dumps](#)

[NREMT Practice Test](#)

[NREMT Brindumps](#)