

# NS0-157<sup>Q&As</sup>

NetApp Certified Data Administrator, Clustered Data ONTAP

## Pass NetApp NS0-157 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ns0-157.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Administrator can natively run Data ONTAP-7Mode commands in what shell?

- A. Adminshell
- B. Clustershell
- C. Nodeshell
- D. Systemshell

Correct Answer: C

<https://library.netapp.com/ecmdocs/ECMP1196780/html/GUID-64D7ED18-1918-4B73-B535A483584C8BFF.html>

---

**QUESTION 2**

How many cluster ports does each node have by default?

- A. One
- B. Two
- C. Three
- D. Four


Correct Answer: B

<http://hippodata.blogspot.com/2013/05/netapp-cluster-mode-networking-deep-dive.html> [stking.com/networkappliance/what-three-cluste](http://stking.com/networkappliance/what-three-cluste)

---

**QUESTION 3**

Click the Exhibit button.



Referring to the exhibit, how many paths to the LUN will the host see?

- A. 32
- B. 16
- C. 8
- D. 4

Correct Answer: D

**QUESTION 4**

What is true about a node root volume?

- A. There is a root volume on every node in a cluster.
- B. It is the root of a data SVM's namespace.
- C. You can use vol move to move it to an aggregate on a different node.

D. It is the most secure place to store critical user data.

Correct Answer: C

Contact technical support if you need to designate a different volume to be the new root volume or move the root volume to another aggregate.

Reference: <https://library.netapp.com/ecmdocs/ECMP1196798/html/GUID-A60F4F83-0034-4DB8-838B06E9D4BEF9A4.html>

---

## QUESTION 5

To achieve high-availability within a FAS8080 EX HA pair, which two requirements are needed? (Choose two.)

- A. Connect the NVRAM HA interconnects of the HA pairs.
- B. Connect multiple paths from the controllers to the host.
- C. Connect the local node to the partner node's disk shelves.
- D. Enable auto-giveback.

Correct Answer: AB

[Latest NS0-157 Dumps](#)

[NS0-157 VCE Dumps](#)

[NS0-157 Exam Questions](#)