

# NS0-160<sup>Q&As</sup>

NetApp Certified Data Administrator, ONTAP

## Pass NetApp NS0-160 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ns0-160.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Your manager asks you to upgrade the ONTAP software that is running on the organization's FAS8200.

The FAS8200 is running ONTAP 9.2 and needs to be upgraded to ONTAP 9.5.

In this situation, what is the minimum number of ONTAP upgrades required to accomplish the task?

- A. 3 upgrades; ONTAP 9.2 > ONTAP 9.3 > ONTAP 9.4 > ONTAP 9.5
- B. 1 upgrade; ONTAP 9.2 > ONTAP 9.5
- C. 2 upgrades; ONTAP 9.2 > ONTAP 9.3 > ONTAP 9.5
- D. 4 upgrades; ONTAP 9.2 > ONTAP 9.2P4 > ONTAP 9.3 > ONTAP 9.4P5 > ONTAP 9.5

Correct Answer: C

Reference: [https://library.netapp.com/ecm/ecm\\_download\\_file/ECMLP2492712](https://library.netapp.com/ecm/ecm_download_file/ECMLP2492712) (10)

---

**QUESTION 2**

Which two performance threshold policies in OnCommand Unified Manager are configurable? (Choose two.)

- A. user-defined
- B. volume
- C. system-defined
- D. dynamic

Correct Answer: AB

---

**QUESTION 3**

You are configuring an FC switch to allow LUN access to a host system.

In this scenario, a switch needs a zone configuration file that includes which two elements? (Choose two.)

- A. host initiator WWPN
- B. SVM target WWNN
- C. host initiator WWNN
- D. SVM target WWPN

Correct Answer: AD

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.exp-fc->

---

cpg%2FGUID3DCD06E4-6B78-4C3D-8476-19FDA9EDE77A.html

---

#### QUESTION 4

Which command would you use to enable the ONTAP HA feature?

- A. storage failover modify -enabled true -node \*
- B. cluster ha modify -configured true
- C. cluster ha modify -configured false
- D. network options switchless-cluster modify true

Correct Answer: A

Reference: <https://library.netapp.com/ecmdocs/ECMP1367947/html/GUID-C7459FF5-75AD-4383-94B5F18C9E7B09A9.html>

---

#### QUESTION 5

A customer configured CIFS in an ONTAP 9.5 SVM. The customer wants to verify if the "CIFS Server" is accessible from each node of the cluster.

In this scenario, which command will accomplish this task?

- A. vserver cifs session
- B. vserver cifs connection show
- C. vserver cifs check
- D. vserver cifs domain discovered-servers

Correct Answer: C

Reference: [https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-cmpr-950%2Fvserver\\_\\_cifs\\_\\_check.html](https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-cmpr-950%2Fvserver__cifs__check.html)

[NS0-160 VCE Dumps](#)

[NS0-160 Study Guide](#)

[NS0-160 Exam Questions](#)