

# NS0-184<sup>Q&As</sup>

NetApp Certified Storage Installation Engineer, ONTAP

## Pass NetApp NS0-184 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ns0-184.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

You have just racked a new 6-node switched cluster with ONTAP 9.7. You need to configure the cluster switches.

In this scenario, which two elements would be used to complete the configuration? (Choose two.)

- A. SFP+ port
- B. rlogin
- C. SSH
- D. serial port

Correct Answer: CD

---

**QUESTION 2**

You are a NetApp Professional Services engineer, employed by NetApp. You have just completed an ONTAP cluster installation. You need to collect the relevant configuration information to enable the Service Event Report (SER) to be created.

Which tool would you use to accomplish this task?

- A. Active IQ scheduled reports
- B. NetAppDocs output report
- C. ONTAP System Manager
- D. Active IQ Config Advisor worksheet

Correct Answer: A

---

**QUESTION 3**

Before installing an 8-node cluster for a customer, you want to validate compatibility with existing hardware.

Which two tools would you use to validate the configuration? (Choose two.)


- A. Active IQ Config Advisor
- B. Interoperability Matrix Tool
- C. Active IQ System Manager
- D. Hardware Universe

Correct Answer: AB

---

**QUESTION 4**

Click the Exhibit button.



You are setting up a new AFF A700 into a new rack at a customer's site. The customer asks you to plan for simplified future growth.

Referring to the exhibit, how would you satisfy this requirement?

- A. Option 4
- B. Option 2
- C. Option 3
- D. Option 1

Correct Answer: B

**QUESTION 5**

You installed a new pair of Cisco 92300YC cluster switches at a customer's site. Before you install any files on the switch, you want to view the current configuration.

In this scenario, which command would you use to accomplish this task?

- A. switchcfgshow
- B. fabricshow
- C. config show

D. show running-config

Correct Answer: A

[NS0-184 PDF Dumps](#)

[NS0-184 Practice Test](#)

[NS0-184 Braindumps](#)