

NS0-505^{Q&As}

NetApp Certified Implementation Engineer – SAN ESeries

Pass NetApp NS0-505 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ns0-505.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Review the diagram.



Is this cabling correct or incorrect, and why? (Choose the best answer.)

- A. The cabling is incorrect because the controllers are cabled from the host port.
- B. The cabling is incorrect because it uses the top-down bottom-up cabling method.
- C. The cabling is correct because it follows the recommended E-Series cabling method.
- D. The cabling is incorrect because they have been daisy-chained.

Correct Answer: D

QUESTION 2

The system automatically disables write caching when _____. (Choose the best answer.)

- A. a disk pool is being expanded by adding a drive
- B. a failed disk drive has put a volume group into a degraded state
- C. there is a failed controller on the system, so that cache mirroring is unavailable
- D. the system detects a small percentage of cache hits over a 10-minute timeframe
- E. more than 4 unique host identifiers are trying to access the same volume

Correct Answer: B

QUESTION 3

A d-stripe within a disk pool is always the equivalent of _____. (Choose the best answer.)

- A. 9+1 RAID 3
- B. 9+1 RAID 5
- C. 8+2 RAID 6
- D. 5+5 RAID 10
- E. 10+0 RAID 0

Correct Answer: C

QUESTION 4

During normal operation, a failure was detected on an E-Series hardware component. Which tool could be used to determine the location of the failed component and understand the potential recovery actions? (Choose the best answer.)

- A. Recovery Guru
- B. Host Mappings tab
- C. Real-time performance monitor
- D. Unreadable sectors log

Correct Answer: B

QUESTION 5

Which component of an E-Series storage system should always be upgraded first? (Choose the best answer.)

- A. ESM firmware

- B. Controller firmware
- C. Controller NVSRAM
- D. SANtricity management client

Correct Answer: B

[Latest NS0-505 Dumps](#)

[NS0-505 Practice Test](#)

[NS0-505 Study Guide](#)