

NS0-506^{Q&As}

NetApp Certified Implementation Engineer - SAN, Clustered Data
ONTAP

Pass NetApp NS0-506 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ns0-506.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Click the Exhibit button.

An administrator is attempting to map an iSCSI LUN to a Windows 2012 host, but the windows host fails to discover the iSCSI targets.

Referring to the exhibit, what is the connectivity problem?

Exhibit:

The exhibit shows a network configuration interface with two main sections. The top section displays network interfaces, and the bottom section shows SAS cabling checks.

Logical Interface	Role	Port	Switch	Operational Speed (Mbps)	Network Address
clus1	cluster	e0a	ap2na1-sw-ci-01:0/1	10000	169.254.96.136
clus2	cluster	e0b	ap2na1-sw-ci-02:0/1	10000	169.254.84.85
clus3	cluster	e0c	ap2na1-sw-ci-02:0/2	10000	169.254.2.143
clus4	cluster	e0d	ap2na1-sw-ci-01:0/2	10000	169.254.50.59
mgmt1	node-mgmt	e0M		1000	10.5.3.101

Category	Rule Target	Risk / Description	Details
SAS Cabling Checks	ap2na1-02	Checking SAS Cabling.	Controller SAS ports B and D ports should be connected to shelf circle ports. Port 0b is connected to Shelf 20 B Module Square.
SAS Cabling Checks	ap2na1-01	Checking SAS Cabling.	Controller SAS ports B and D ports should be connected to shelf circle ports. Port 0b is connected to Shelf 20 A Module Square.

- A. The iSCSI service is running on svm1, but iSCSI is not licensed on the nodes.
- B. The iSCSI LIFs are not currently on their home port.
- C. The iSCSI LIFs are currently disabled.
- D. The LIFs do not have a failover group defined.


Correct Answer: A

QUESTION 2

Click the Exhibit button.

Referring to the exhibit, which entry is appropriate to add to a zone on the FC switch?

Exhibit:



- A. 20:05:00:a0:98:29:18:76
- B. 20:10:00:a0:98:29:18:76
- C. 20:14:00:a0:98:29:18:76
- D. 50:10:00:a0:98:29:18:76

Correct Answer: A

QUESTION 3

Exhibit

```
cl01::>igroup show -vserver svm1 VserverIgroup Protocol OS Type Initiators svm1 esx_cluster mixed vmware
```

```
20:00:00:25:b5:11:a0:01,
```

```
20:00:00:25:b5:11:b0:01,
```

```
iqn.1998-01.com.vmware:esx02
```

```
cl01::>
```

A customer is provisioning storage for two ESXi hosts using FCoE with CNA adapters. The customer mapped the LUN to the igroup shown in the exhibit. After scanning for new devices, the LUN is only seen by one of the ESXi hosts.

What caused the problem?

- A. One of the hosts is added in the igroup via iSCSI IQN.
- B. The igroup protocol needs to be configured as FCP.
- C. The switch zoning configuration does not include the correct initiators.
- D. The LIFs are not on their home ports.

Correct Answer: A

QUESTION 4

You are troubleshooting a node that had a core dump. The HA partner took over and you successfully performed a giveback. You need to get access to the core files.

Which two locations will give you access? (Choose two.)

- A. /mroot/etc/crash
- B. https:///spi/
- C. https://
- D. /mroot/etc/log

Correct Answer: A

QUESTION 5

What is installed on your Linux host when you install the Linux Unified Host Utilities 7.0?

- A. drivers and firmware
- B. software iSCSI initiator
- C. SAN Toolkit data collection utility
- D. nSANity

Correct Answer: C

[Latest NS0-506 Dumps](#)

[NS0-506 Practice Test](#)

[NS0-506 Exam Questions](#)