

# NS0-520<sup>Q&As</sup>

NetApp Certified Implementation Engineer - SAN ONTAP

## Pass NetApp NS0-520 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ns0-520.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



### QUESTION 1

You are installing a NetApp FAS6040 high availability storage system. Which cfmode should be set to ensure proper failover in an HP-UX environment?

- A. standby
- B. partner
- C. single system image
- D. dual\_fabric

Correct Answer: C

---

### QUESTION 2

A company has 20 ESX hosts. Ten of the hosts are connected using FC, and the rest are connected over iSCSI. The FC host HBA queue depth is set to 32, and the iSCSI LUN queue depth is set to 64. The FC hosts are now experiencing random connectivity issues.

In this scenario, what would be the reason for the disconnects?

- A. The FC host has a lower queue depth.
- B. According to the IMT, unsupported HBA firmware is in use.
- C. All of the hosts are part of the same cluster.
- D. The queue depth is not consistent across the cluster.

Correct Answer: A

---

### QUESTION 3

An administrator who is using the Virtual Storage Console (VSC) creates a new FC datastore on an existing volume. While the datastore was provisioned, two hosts were in maintenance mode. When the maintenance was completed, the two hosts do not have access to the new datastore, but they have access to other datastores on the same volume.

In this scenario, what caused this result?


- A. The VSC cannot create datastores while hosts are in maintenance mode.
- B. During host maintenance, the FC HBAs were replaced with different FC HBAs.
- C. The VSC created a new igroup that contains only the hosts that were online during the datastore creation.
- D. After creation using the VSC, the administrator needs to create a LUN mapping.

Correct Answer: C

---

**QUESTION 4**

Exhibit.



You are moving volumes between aggregate aff\_01\_aggr1 and the aggregate Aggr\_Data shown in the exhibit.

How much space will be moved?

- A. 11.17 TB
- B. 935.75 GB
- C. 296 KB

D. 1. 91 TB

Correct Answer: C

---

#### QUESTION 5

You are configuring a FAS8300 HA pair running ONTAP 9.8 with two hosts that requires SAN LUNs. The cluster is in a secure data center without switches. In this scenario, which block protocol is supported on the hosts?

- A. FCP
- B. ISCSI
- C. FCoE
- D. NVMe

Correct Answer: B

Direct-attachment

In a direct-attached configuration, one or more hosts are directly connected to the controllers.

You can find more information on this link:

<https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-sanconf%2FGUID-193CC377-5C6F-4D3C-B42E-CE71AB6AA77F.html>

[Latest NS0-520 Dumps](#)

[NS0-520 VCE Dumps](#)

[NS0-520 Study Guide](#)