

NS0-526^{Q&As}

NetApp Certified Implementation Engineer - Data Protection

Pass NetApp NS0-526 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ns0-526.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

In a MetroCluster IP configuration, which two network ports must be connected to dedicated switches? (Choose two.)

- A. the port associated with the cluster LIF
- B. the port associated with the node management LIF
- C. the port associated with the intercluster LIF
- D. the port associated with the MetroCluster IP LIF

Correct Answer: AB

QUESTION 2

Your customer wants to replicate data between two NetApp clusters in different data centers. Which two actions must be performed to accomplish this task?

(Choose two.)

- A. A peer relationship must be created between the two clusters.
- B. One inter-cluster LIF on each node must be configured.
- C. Every controller in both clusters must have at least one inter-cluster LIF configured.
- D. Every inter-cluster LIF must be configured on the same port with a data LIF.

Correct Answer: AB

QUESTION 3

You have two ONTAP clusters, cluster1 and cluster2. Cluster1 has an SVM serving SMB3 data and you want to protect it by replicating it to cluster2 using SVM DR. The source and destination subnets are identical. You want to retain the CIFS server security of the SVM at the destination site.

In this scenario, which three steps would you take to configure the SVM DR relationship? (Choose three.)

- A. Configure the network for data access on the destination SVM.
- B. Create the SnapMirror relationship with the id-preserve option set to true.
- C. Create the destination SVM with the dp-destination subtype.
- D. Create a CIFS server on the destination SVM.
- E. Initialize the SnapMirror relationship.

Correct Answer: ABD

QUESTION 4

A customer has developed a new application that uses Oracle with an AFF system to help track all of their shipping trucks around the world. The customer wants to ensure that application-consistent backups are offloaded to the cloud.

In this scenario, which two solutions enable the customer to satisfy these requirements? (Choose two.)

- A. FabricPool
- B. Flash Pool
- C. SnapCenter
- D. FlexClone

Correct Answer: AC

QUESTION 5

Click the Exhibit button.



Your customer has recently implemented a FabricPool solution that uses the default configuration. They notice that no data has moved to the cloud tier. Your customer is concerned that FabricPool might not be functioning properly.

Referring to the exhibit, what is causing the problem?

- A. The performance tier is not 50% full.
- B. The performance tier is not 90% full.
- C. The performance tier is not 75% full.
- D. The performance tier is not 100% full.

Correct Answer: A

[NS0-526 PDF Dumps](#)

[NS0-526 VCE Dumps](#)

[NS0-526 Exam Questions](#)