

NSE4_FGT-6.0^{Q&As}

Fortinet NSE 4 - FortiOS 6.0

Pass Fortinet NSE4_FGT-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse4_fgt-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Examine this FortiGate configuration:

```
config system global
    set av-failopen pass
end
```

Examine the output of the following debug command:

```
# diagnose hardware sysinfo conserve
memory conserve mode: on
total RAM: 3040 MB
memory used: 2948 MB 97% of total RAM
memory freeable: 92 MB 3% of total RAM
memory used + freeable threshold extreme: 2887 MB 95% of total RAM
memory used threshold red: 2675 MB 88% of total RAM
memory used threshold green: 2492 MB 82% of total RAM
```

Based on the diagnostic outputs above, how is the FortiGate handling the traffic for new sessions that require inspection?

- A. It is allowed, but with no inspection
- B. It is allowed and inspected as long as the inspection is flow based
- C. It is dropped.
- D. It is allowed and inspected, as long as the only inspection required is antivirus.

Correct Answer: A

QUESTION 2

What criteria does FortiGate use to look for a matching firewall policy to process traffic? (Choose two.)

- A. Services defined in the firewall policy.
- B. Incoming and outgoing interfaces

- C. Highest to lowest priority defined in the firewall policy.
- D. Lowest to highest policy ID number.

Correct Answer: AB

QUESTION 3

Why must you use aggressive mode when a local FortiGate IPsec gateway hosts multiple dialup tunnels?

- A. In aggressive mode, the remote peers are able to provide their peer IDs in the first message.
- B. FortiGate is able to handle NATed connections only in aggressive mode.
- C. FortiClient only supports aggressive mode.
- D. Main mode does not support XAuth for user authentication.

Correct Answer: A

QUESTION 4

How can you block or allow to Twitter using a firewall policy?

- A. Configure the Destination field as Internet Service objects for Twitter.
- B. Configure the Action field as Learn and select Twitter.
- C. Configure the Service field as Internet Service objects for Twitter.
- D. Configure the Source field as Internet Service objects for Twitter.

Correct Answer: A

QUESTION 5

An administrator has configured a dialup IPsec VPN with XAuth. Which statement best describes what occurs during this scenario?

- A. Phase 1 negotiations will skip preshared key exchange.
- B. Only digital certificates will be accepted as an authentication method in phase 1.C
- C. Dialup clients must provide a username and password for authentication.
- D. Dialup clients must provide their local ID during phase 2 negotiations.

Correct Answer: C

[Latest NSE4_FGT-6.0 Dumps](#)

[NSE4_FGT-6.0 Practice Test](#)

[NSE4_FGT-6.0 Braindumps](#)