

NSE4_FGT-7.0^{Q&As}

Fortinet NSE 4 - FortiOS 7.0

Pass Fortinet NSE4_FGT-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse4_fgt-7-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Refer to the exhibit.

Network interface configuration

Edit Interface

Name LAN(port3)

Alias

Type Physical Interface

Role

Address

Addressing mode Manual DHCP

IP/Netmask

Secondary IP address

Administrative Access

IPv4

<input checked="" type="checkbox"/> HTTPS	<input checked="" type="checkbox"/> HTTP	<input checked="" type="checkbox"/> PING
<input type="checkbox"/> FMG-Access	<input checked="" type="checkbox"/> SSH	<input type="checkbox"/> SNMP
<input checked="" type="checkbox"/> TELNET	<input type="checkbox"/> FTM	<input type="checkbox"/> RADIUS Accounting

Security Fabric Connection

Receive LLDP Use VDOM Setting Enable Disable

Transmit LLDP Use VDOM Setting Enable Disable

Network

Device detection

Security mode Captive Portal

Authentication portal Local External

User Access Restricted to Groups Allow all

User Groups

Exempt sources

Exempt destinations/services

Redirect after Captive Portal Original Request Specific URL

```
Enforce authentication on demand option enabled

Local-FortiGate # config user setting

Local-FortiGate (setting) # show
config user setting
    set auth-cert "Fortinet_Factory"
    set auth-on-demand always
end
```

Name	Source	Destination	Schedule	Service	Action	NAT
LAN(port3) → WAN(port1) 2						
Sales Users	Sales LOCAL_SUBNET	all	always	ALL	✓ ACCEPT	✓ Enabled
Auth-Users	LOCAL_SUBNET	all	always	ALL	✓ ACCEPT	✓ Enabled

The exhibit contains a network interface configuration, firewall policies, and a CLI console configuration.

How will FortiGate handle user authentication for traffic that arrives on the LAN interface?

- A. If there is a full-through policy in place, users will not be prompted for authentication.
- B. Users from the Sales group will be prompted for authentication and can authenticate successfully with the correct credentials.
- C. Authentication is enforced at a policy level; all users will be prompted for authentication.
- D. Users from the HR group will be prompted for authentication and can authenticate successfully with the correct credentials.

Correct Answer: C

QUESTION 2

Refer to the exhibit, which contains a session diagnostic output.

```
session info: proto=17 proto_state=01 duration=254 expire=179 timeout=0 flags=00000000 socktype=0
sockport=0 av_idx=0 use=3
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ helper=dns-udp vlan_cos=0/255
state=log may_dirty f00 log-start
statistic(bytes/packets/allow_err): org=1420/22/1 reply=5678/22/1 tuples=2
tx speed(Bps/kbps): 5/0 rx speed(Bps/kbps): 22/0
origin ->sink: org pre->post, reply pre->post dev=5->3/3 ->5 gwy=10.200.1.254/10.0.1.200
hook=post dir=org act=snat 10.0.1.200:2486->208.91.112.53:53 (10.200.1.1:62902)
hook=pre dir=reply act=dnat 208.91.112.53:53 -> 10.200.1.1:62902 (10.0.1.200:2486)
misc=0 policy_id=3 auth_info=0 chk_client_info=0 vd=0
serial=0001fc1e tos=ff/ff app_list=0 app=0 url_cat=0
rpdb_link_id= 00000000 rpdb_svc_id=0 ngfwid=n/a
npu_state=0x040000
```

Which statement is true about the session diagnostic output?

- A. The session is a UDP unidirectional state.
- B. The session is in TCP ESTABLISHED state.
- C. The session is a bidirectional UDP connection.
- D. The session is a bidirectional TCP connection.

Correct Answer: C

QUESTION 3

Examine this output from a debug flow:

```
id=20085 trace_id=1 func=print_pkt_detail line=5363 msg="vd-root received a packet(proto=1,
10.0.1.10:1->10.200.1.254:2048)
from port3. type=8, code=0, id=1, seq=33."
id=20085 trace_id=1 func=init_ip_session_common line=5519 msg="allocate a new session=00000340"
id=20085 trace_id=1 func=vf_ip_route_input_common line=2583 msg="find a route: flag=04000000 gw=10.200.1.254 via
port1"
id=20085 trace_id=1 func=fw_forward_handler line=586 msg="Denied by forward policy check (policy 0)"
```

Why did the FortiGate drop the packet?

- A. The next-hop IP address is unreachable.
- B. It failed the RPF check.
- C. It matched an explicitly configured firewall policy with the action DENY.
- D. It matched the default implicit firewall policy.

Correct Answer: D

<https://kb.fortinet.com/kb/documentLink.do?externalID=13900>

QUESTION 4

Which statements about the firmware upgrade process on an active-active HA cluster are true? (Choose two.)

- A. The firmware image must be manually uploaded to each FortiGate.
- B. Only secondary FortiGate devices are rebooted.
- C. Uninterruptable upgrade is enabled by default.
- D. Traffic load balancing is temporarily disabled while upgrading the firmware.

Correct Answer: CD

QUESTION 5

Which three statements are true regarding session-based authentication? (Choose three.)

- A. HTTP sessions are treated as a single user.
- B. IP sessions from the same source IP address are treated as a single user.
- C. It can differentiate among multiple clients behind the same source IP address.
- D. It requires more resources.
- E. It is not recommended if multiple users are behind the source NAT

Correct Answer: ACD

[NSE4_FGT-7.0 VCE Dumps](#) [NSE4_FGT-7.0 Study Guide](#)

[NSE4_FGT-7.0 Exam Questions](#)