

NSE5_FAZ-5.4^{Q&As}

FortiAnalyzer 5.4 Specialist

Pass Fortinet NSE5_FAZ-5.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse5_faz-5-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What is the purpose of employing RAID with FortiAnalyzer?

- A. To provide data separation between ADOMs
- B. To separate analytical and archive data
- C. To back up your logs
- D. To introduce redundancy to your log data

Correct Answer: D

QUESTION 2

What happens when a log file saved on FortiAnalyzer disks reaches the size specified in the device log settings?

- A. The log file is stored as a raw log and is available for analytic support
- B. The log file rolls over and is archived
- C. The log file is purged from the database
- D. The log file is overwritten

Correct Answer: B

QUESTION 3

How can you configure FortiAnalyzer to permit administrator logins from only specific locations?

- A. Use trusted hosts
- B. Use administrative profiles
- C. Use secure protocols
- D. Use static routes

Correct Answer: A

QUESTION 4

On FortiAnalyzer, what is a wildcard administrator account?

- A. An account that permits access to members of a LDAP group
- B. An account that allows guest access with read-only privileges

- C. An account that requires two-factor authentication
- D. An account that validates against any user account on a FortiAuthenticator

Correct Answer: D

QUESTION 5

Which FortiAnalyzer feature allows you to retrieve the archived logs matching a specific timeframe from another FortiAnalyzer device?

- A. Log forwarding in aggregation mode
- B. Log upload
- C. Log fetching
- D. Indicators of Compromise

Correct Answer: A

[NSE5_FAZ-5.4 PDF Dumps](#)

[NSE5_FAZ-5.4 Exam Questions](#)

[NSE5_FAZ-5.4 Braindumps](#)