

NSE5_FSM-5.2^{Q&As}

Fortinet NSE 5 - FortiSIEM 5.2

Pass Fortinet NSE5_FSM-5.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/nse5_fsm-5-2.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1


A FortiSIEM administrator wants to restrict a network administrator to running searches for only firewall devices. Under role management, which option does the FortiSIEM administrator need to configure to achieve this scenario?

- A. CMDB Report Conditions
- B. Data Conditions
- C. UI Access

Correct Answer: B

QUESTION 2

Refer to the exhibit.



An administrator is trying to identify an issue using an expression based on the Expression Builder settings shown in the exhibit however, the error message shown in the exhibit indicates that the expression is invalid.

Which is the correct expression?

- A. Matched Events COUNT()
- B. Matched Events(COUNT)
- C. COUNT(Matched Events)
- D. (COUNT) Matched Events

Correct Answer: C

QUESTION 3

In FortiSIEM enterprise licensing mode, if the link between the collector and data center FortiSIEM cluster is down, what happens?

- A. The collector drops incoming events like syslog, but stops performance collection

- B. The collector continues performance collection of devices, but stops receiving syslog
- C. The collector buffers events
- D. The collector processes stop, and events are dropped

Correct Answer: D

QUESTION 4

If the reported packet loss is between 50% and 98%. which status is assigned to the device in the Availability column of summary dashboard?

- A. Down status is assigned because of packet loss.
- B. Up status is assigned because of received packets
- C. Critical status is assigned because of reduction in number of packets received
- D. Degraded status is assigned because of packet loss

Correct Answer: D

QUESTION 5

To determine SNMP discovery issues, which is the best command from the backend?

- A. snmpwalk
- B. phSNMPTest
- C. snmpstest
- D. ssh

Correct Answer: A

[NSE5_FSM-5.2 PDF Dumps](#)

[NSE5_FSM-5.2 VCE Dumps](#)

[NSE5_FSM-5.2 Exam Questions](#)